VITAPM Investment

□□□□□□□□: 12.08.2019 □□□□□□: 183

1 □□□□□□□□□□

□□□□□

VITAPM Investment

□□□□□

Einbettmasse für Presskeramik, Investment for pressable ceramics, Revetement pour céramique pressable, Revestimiento para cerámica inyectada, Rivestimento per ceramica a pressione

□□□

□□

Auxilary for manufacture of dental products □□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□:	VITA Zahnfabrik H.Rauter GmbH & Co.KG
□□□:	Spitalgasse 3
□□:	D-79713 Bad Säckingen
□□□□□:	1338 D-79704 Bad Säckingen
□□□□:	+49(0)7761-562-0 □□□□□:+49(0)7761-562-299
□□□□□:	info@vita-zahnfabrik.com
□□□:	regulatory affairs
□□□□□:	info@vita-zahnfabrik.com
□□□□□□□:	www.vita-zahnfabrik.com
□□□□:	Regulatory Affairs
□□□□□□□□□□□□□□□□:	+49-(0)761-19240

2 □□□□□□□□□

□□□□□□□□□□□□

EC □□ No. 1272/2008

□□□□□□□□□□□:

□□□□□□□□□□□□□□□□: □□□□□□/□□□□□□□□□□□ 1

□□□□□□□□:

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□

EC □□ No. 1272/2008

□□□□□□□□□□□□□□□□□□□□□□□□

Quarz alveolgängig

□□□□□: □□

□□□□□□□□:

□□□□□□□□

H372	□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□

P260	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
P281	□□□□□□□□□□□□□□□□□□□□□□□
P270	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□

3 □□□□□□□□□

□□□

□□□□□□

CAS□□	□□□	□□
	□□ (EC □□ No. 1272/2008)	
14808-60-7	Quarz alveolgängig	45 - < 50 %
	STOT SE 2, STOT RE 1; H371 H372	

H□□□EUH□□□□□: 16□□□□□□□□□ □

4 □□□□

□□□□□□□□□□□

□□□□

□□□□: □□□□□□□□□□□□! □□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□.

□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

5 □□□□□□□

□□□

□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□: □□□□□□□□□□□□□□□□□□

□□□□□□

□□/□□/□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□

□□

6 □□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□ □□/□/□□/□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□
□□

□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□ □□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□

□□□□□□□□□□□

□□□□□□: □□□□□ □ 7
□□□□□□□: □□□□□ □ 8
□□□□□□: □□□□□ □ 13

7 □□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□ □□/□/□□/□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□.

□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□
□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□

8 □□□□□□□□□□□□□

□□□□□□□□□

□□□□□

□□□□□□□□□

□□□ □□/□/□□/□□□□□□□□□□□□□□□□□

□□□□□□□□

□/□□□□□□□□□

□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□4□□□□□□□□□□□CE□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□
□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□ KCL Dermatril P NBR (□□□□□□□)

□□□□□
□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□ □□□□□□□□□□□□□□□ FFP2 /FFP3 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□

9 □□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□:	□□	
□:	□□□□	
□□:	□□□	
□□□□□		
□□/□□□□:		□□□□□□□□□
□□□□□□□□□□□□□□□:		?
□□□:		X
□□□		
□□/□□□:		□□□
□□:		□□□
□□□□:		□□□□□□□□
□□□□:		□□□□□□□□
□□□□□□		
□□:		□□□
□□:		□□□
□□□□:		□□□□□□□□
□H□:		□□□□□□□□
□□□:		□□□
□□□□□□□□□		
□□□□□□□□□		
n-□□□□□□/□□□□□:		□□□□□□□□
□□□: (□ 50 °C)		<=1100 hPa
□□:		2,36050 g/cm³
□□□□□□:		□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□

□□□□□□□□□ □

□□□□□□□□□

□□□□□:	100,0 %
□□□□:	□□□□□□□□

□□□□□

10 □□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□

□□

□□□□□

□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□

11 □□□□□□

□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□/□□□□□/□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□ (Quarz alveolgängig)

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□EC□□No 1272/2008 [CLP]□□□□□□□□□□□□□□□□□□□□□

12 □□□□□□□

□□

□□□□□□□□□□□□: □□□□□□

□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□

□□□

□□□□□□□□□

□□□□□□□□□

□□□□□

□□□□□□□□□□□□□

13 □□□□□□□

□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□

EAK/AVV□□□□□□□□□□□□□□□□□□□□

14 □□□□□□□

□□□□ **(IMDG)**

UN□□□□□□ID□□:	No dangerous good in sense of this transport regulation.
□□□□□□□□□:	No dangerous good in sense of this transport regulation.
□□□□□□□□□□□□□□□□□:	No dangerous good in sense of this transport regulation.
□□□□□□□□□:	No dangerous good in sense of this transport regulation.

□□ **(ICAO-TI/IATA-DGR)**

UN□□□□□□ID□□:	No dangerous good in sense of this transport regulation.
□□□□□□□□□:	No dangerous good in sense of this transport regulation.
□□□□□□□□□□□□□□□□□:	No dangerous good in sense of this transport regulation.
□□□□□□□□□:	No dangerous good in sense of this transport regulation.

□□□□□□□□

□□□□□□□□□: □□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□

MARPOL 73/78 □□□□□□ II □□□ IBC Code □□□□□□□□□□□□

□□□

15 □□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□/□□

□□□□□□□

□□□□□: □□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□: 1 - □□□□□□□□□□

16 □□□□□□□

□□

□□ 1,13.

□□□□□□□□□□□

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

H□□□EUH□□□□□□(□□□□□□□□)

H371	□□□□□□□□□□
H372	□□□□□□□□□□□□□□□□□□□□□□□□

□□□