1 □□□□□□□□□□

□□□□□

VITA AKZENT LC

□□□□□

VITA AKZENT LC GLAZE

□□□□□□□□□

□□□□□□□

H225	□□□□□□□□□□□□□□
H315	□□□□□
H317	□□□□□□□□□□□□□□□□□□□
H318	□□□□□□□□□
H335	□□□□□□□□□□□□□
H412	□□□□□□□□□□□□□□□□□□□□□

□□□□□

P210	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□-□□□
P233	□□□□□□□□□□□□□
P280	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□

3 □□□□□□□□□

□□□

□□□□□□

CAS□□	□□□	□□
	□□ (□□□□GHS (ST/SG/AC.10/11/Rev.9))	
80-62-6	methyl methacrylate	30 - < 35 %
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335	
	Hexamethylene diisocyanate polymer with pentaerytriol reaction products with acrylic acid	25 - < 30 %
	Skin Irrit. 2; H315	
72869-86-4	7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylat	5 - < 10 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335	
1245638-61-2	2-Propenoic acid, reaction products with pentaerythritol	5 - < 10 %
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H302 H315 H318 H317 H411	
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinat	1 - < 5 %
	Skin Sens. 1, Aquatic Chronic 2; H317 H411	
3524-68-3	pentaerythritol triacrylate	1 - < 5 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317	
4986-89-4	pentaerythritol tetraacrylate	1 - < 5 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317	
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	1 - < 5 %
	Skin Sens. 1B; H317	
109-16-0	triethylene glycol dimethacrylate	1 - < 5 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335	
	Maleinsäureanhydrid, Telomer mit a-Methylstyrol, Dimer und Styrol, 3-(Dimethylamino)propylimid, Imid mit Polyethylenpolypropylenglykol 2-aminopropyl Me ether, quaternisiert mit 2-[(C10-16-alkyloxy)methyl]oxiran	< 1 %
	Aquatic Chronic 1; H410	
868-77-9	2-hydroxyethyl methacrylate	< 1 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317	

4 □□□□

□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□ □□□□□□□□□□□□□□

7 □□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□
□□□□□□□□□□□□□□

9 □□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□:	□□□
□:	
□□/□□□□:	□□□□□□□□□
□□□□□□□□□□□□□□□□:	101 °C
□□□:	□□□
	□□□
□□□□:	2,1 □□%
□□□□:	12,5 □□%
□□□:	10 °C
□□□□:	□□□□□□□□□
□H□:	□□□□□□□□□
□□□:	□□□□□□□□□□□□□□□□□

□□□□

ATEmix □□□□

□□□□□□□□ (□□□) > 5000 mg/kg; □□□□□□□□ (□□□) > 5000 mg/kg; □□□□□□□□ (□□□□□ □□) > 50 mg/l; □□ □□□□□ (□□□□□ □/□□□) > 12.5 mg/l

□□□□

CAS□□	□□□				
	□□□□□	□□□	□	□□□□□	□□
80-62-6	methyl methacrylate				
	□□□	LD50(50%□□□) > 5000 mg/kg			
1245638-61-2	2-Propenoic acid, reaction products with pentaerythritol				
	□□□	□□□□□□□ 500 mg/kg			
868-77-9	2-hydroxyethyl methacrylate				
	□□□	LD50(50%□□□) 5050 mg/kg	□□□		

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□EC□□No 1272/2008 [CLP]□□□□□□□□□□□□□□□□□□□□□□

12 □□□□□□

□□

□□□□□□□□□□□□□□□□□□□

13 □□□□□□□

□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□ □□/□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□

□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

14 □□□□□□□

□□□□ **(IMDG)**

UN□□□□□□ID□□:	UN 1993
□□□□□□□□□□:	FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; Hexamethylene diisocyanate polymer with pentaerytriol reaction products with acrylic acid)
□□□□□□□□□□□□□□□□:	3
□□□□□□□□□:	II
□□□□□□□:	3

□□□□□□:	274
□□□□:	1 L
□□□:	E2
EmS:	F-E, S-E

□□ **(ICAO-TI/IATA-DGR)**

UN□□□□□□ID□□:	UN 1993
□□□□□□□□□□:	FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; Hexamethylene diisocyanate polymer with pentaerytriol reaction products with acrylic acid)
□□□□□□□□□□□□□□□□:	3
□□□□□□□□□□:	II
□□□□□□□□:	3

□□□□□□:	A3
□□□□-□□□:	1 L
Passenger LQ:	Y341
□□□:	E2
IATA□□□□□□-□□□:	353
IATA□□□□□-□□□:	5 L
IATA□□□□□□□□□□:	364
IATA□□□□□□□□□□:	60 L

□□□□□□□□□

□□□□□□□□□□: □□□

□□□□□□□□□□□□□□□□

□□□: □□□□□□□

MARPOL 73/78 □□□□□□ II □□□□ IBC Code □□□□□□□□□□□□

□□□□

15 □□□□

□□□□□□

□□□□: □□□□□□□□□□□□□□□□

□□□□/□□: □□□□□□□□□□□□□□□□□□□□

16 □□□□□□

□□

□□□□□□□□□□□□□□□□□□□