according to Regulation (EC) No 1907/2006

#### **VITA AKZENT LC**

Revision date: Product code: 317 Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

VITA AKZENT LC

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Special finishes Use as laboratory reagent

## 1.3. Details of the supplier of the safety data sheet

Company name: VITA Zahnfabrik H.Rauter GmbH & Co.KG

Street: Spitalgasse 3

Place: D-79713 Bad Säckingen

Post-office box: 1338

D-79704 Bad Säckingen

Telephone: +49(0)7761-562-0 Telefax: +49(0)7761-562-299

e-mail: info@vita-zahnfabrik.com

Contact person: regulatory affairs

e-mail: info@vita-zahnfabrik.com Internet: www.vita-zahnfabrik.com Responsible Department: Regulatory Affairs

**1.4. Emergency telephone** +49-(0)761-19240

number:

#### **Further Information**

medical device

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Highly flammable liquid and vapour.

Causes skin irritation.
Causes serious eye damage.
May cause an allergic skin reaction.
May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

## Hazard components for labelling

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate 7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylat

2-Propenoic acid, reaction products with pentaerythritol

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinat

pentaerythritol tetraacrylate

pentaerythritol triacrylate

2,2'-ethylenedioxydiethyl dimethacrylate

according to Regulation (EC) No 1907/2006

#### **VITA AKZENT LC**

Revision date: Product code: 317 Page 2 of 10

Signal word: Danger

Pictograms:







#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P403+P235 Store in a well-ventilated place. Keep cool.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

according to Regulation (EC) No 1907/2006

# VITA AKZENT LC Revision date: Product code: 317 Page 3 of 10

## **Hazardous components**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	•	•	
80-62-6	methyl methacrylate	30 - < 35 %		
	201-297-1	607-035-00-6	01-2119452498-28	
	Flam. Liq. 2, Skin Irrit. 2, Skin Sen	s. 1, STOT SE 3; H225 H3	15 H317 H335	
	Hexamethylene diisocyanate polyi	mer with pentaerytriol react	ion products with acrylic acid	25 - < 30 %
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	9		
72869-86-4	7,7,9-Trimethyl-4,13-dioxo-3,14-di	oxa-5,12-diazahexadecan-	1,16-diylbismethacrylat	5 - < 10 %
	276-957-5		01-2120751202-68	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens	1, STOT SE 3; H315 H31	9 H317 H335	
1245638-61-2	2-Propenoic acid, reaction product	s with pentaerythritol		5 - < 10 %
	829-850-6		01-2119490003-49	
	Acute Tox. 4, Skin Irrit. 2, Eye Dan H411	Chronic 2; H302 H315 H318 H317		
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoy	1 - < 5 %		
	Skin Sens. 1, Aquatic Chronic 2; F			
4986-89-4	pentaerythritol tetraacrylate		1 - < 5 %	
	225-644-1	607-122-00-9		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens			
3524-68-3	pentaerythritol triacrylate	1 - < 5 %		
	222-540-8	607-110-00-3		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1; H315 H319 H317		
109-16-0	triethylene glycol dimethacrylate	1 - < 5 %		
			01-2119969287-21	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.			
109-16-0	2,2'-ethylenedioxydiethyl dimethad	1 - < 5 %		
	203-652-6		01-2119969287-21	
	Skin Sens. 1B; H317			
	Maleinsäureanhydrid, Telomer mit Imid mit Polyethylenpolypropyleng [(C10-16-alkyloxy)methyl]oxiran	< 1 %		
	Aquatic Chronic 1; H410			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity
	Specific Conc. L	Limits, M-factors and ATE	
80-62-6	201-297-1	methyl methacrylate	30 - < 35 %
	dermal: LD50 = > 5000 mg/kg		
1245638-61-2	829-850-6	2-Propenoic acid, reaction products with pentaerythritol	5 - < 10 %
	oral: ATE = 500 mg/kg		

according to Regulation (EC) No 1907/2006

#### VITA AKZENT LC

Revision date: Product code: 317 Page 4 of 10

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. When in doubt or if symptoms are observed, get medical advice.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. When in doubt or if symptoms are observed, get medical advice.

#### After ingestion

Rinse mouth immediately and drink plenty of water. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General measures

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

## Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

according to Regulation (EC) No 1907/2006

#### **VITA AKZENT LC**

Revision date: Product code: 317 Page 5 of 10

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

Use as laboratory reagent

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
80-62-6	Methyl methacrylate	50	-		TWA (8 h)	
		100	-	ĺ	STEL (15 min)	

#### 8.2. Exposure controls









#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Eye/face protection

Suitable eye protection: goggles.

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Butyl Breakthrough time: 60 min Butyl caoutchouc (butyl rubber) / Breakthrough time: 8 min

## Skin protection

Wear suitable protective clothing.

according to Regulation (EC) No 1907/2006

#### **VITA AKZENT LC**

Revision date: Product code: 317 Page 6 of 10

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Provide adequate ventilation as well as local exhaustion at critical locations.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

pH-Value: not determined

Changes in the physical state

Melting point: not determined

Boiling point or initial boiling point and 101 °C

boiling range:

Flash point: 10 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable
Lower explosion limits: 2,1 vol. %
Upper explosion limits: 12,5 vol. %

Self-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure:

Density (at 20 °C):

1,13 g/cm³

Water solubility:

The study does not need to be conducted because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Relative vapour density:

Evaporation rate:

not determined
not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

according to Regulation (EC) No 1907/2006

#### **VITA AKZENT LC**

Revision date: Product code: 317 Page 7 of 10

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
80-62-6	methyl methacrylate				
	dermal	LD50 > 5000 mg/kg			
1245638-61- 2	2-Propenoic acid, reaction products with pentaerythritol				
	oral	ATE 500 mg/kg			

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

according to Regulation (EC) No 1907/2006

#### VITA AKZENT LC

Product code: 317 Page 8 of 10 Revision date:

## **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number: UN 1993

FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; methyl 14.2. UN proper shipping name:

2-methylprop-2-enoate; methyl 2-methylpropenoate; Hexamethylene

diisocyanate polymer with pentaerytriol reaction products with acrylic acid)

14.3. Transport hazard class(es): 14.4. Packing group: П Hazard label: 3



Classification code:

Special Provisions: 274 601 640D

Limited quantity: 1 L Excepted quantity: F2 Transport category: 2 33 Hazard No: Tunnel restriction code: D/F

Inland waterways transport (ADN)

UN 1993 14.1. UN number:

FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; methyl 14.2. UN proper shipping name:

2-methylprop-2-enoate; methyl 2-methylpropenoate; Hexamethylene

diisocyanate polymer with pentaerytriol reaction products with acrylic acid)

14.3. Transport hazard class(es): 3 П 14.4. Packing group: Hazard label: 3



Classification code:

**Special Provisions:** 274 601 640D

Limited quantity: 1 L Excepted quantity: E2

Marine transport (IMDG)

UN 1993 14.1. UN number:

FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; methyl 14.2. UN proper shipping name:

2-methylprop-2-enoate; methyl 2-methylpropenoate; urethanacrylat

oligomer)

14.3. Transport hazard class(es): 3 14.4. Packing group: П

Hazard label: 3



**Special Provisions:** Limited quantity:

according to Regulation (EC) No 1907/2006

Revision date: VITA AKZENT LC
Product code: 317 Page 9 of 10

Excepted quantity: E2
EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1993

**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; methyl

2-methylprop-2-enoate; methyl 2-methylpropenoate; urethanacrylat

oligomer)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

1 L

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

according to Regulation (EC) No 1907/2006

## **VITA AKZENT LC**

Revision date: Product code: 317 Page 10 of 10

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure	
Flam. Liq. 2; H225	On basis of test data	
Skin Irrit. 2; H315	Calculation method	
Eye Dam. 1; H318	Calculation method	
Skin Sens. 1; H317	Calculation method	
STOT SE 3; H335	Calculation method	
Aquatic Chronic 3; H412	Calculation method	

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)