according to Regulation (EC) No 1907/2006

## VITA AKZENT LC CLEANER

Product code: 328 Revision date: Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

VITA AKZENT LC CLEANER

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Use as laboratory reagent

# 1.3. Details of the supplier of the safety data sheet

Company name: VITA Zahnfabrik H.Rauter GmbH & Co.KG

Street: Spitalgasse 3

D-79713 Bad Säckingen Place:

Post-office box: 1338

D-79704 Bad Säckingen

Telephone: +49(0)7761-562-0 Telefax: +49(0)7761-562-299

e-mail: info@vita-zahnfabrik.com

Contact person: regulatory affairs

info@vita-zahnfabrik.com e-mail: www.vita-zahnfabrik.com Internet: Responsible Department: Regulatory Affairs +49-(0)761-19240

1.4. Emergency telephone

number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Highly flammable liquid and vapour. Causes serious eve irritation.

## 2.2. Label elements

# Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:





## **Hazard statements**

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

according to Regulation (EC) No 1907/2006

## **VITA AKZENT LC CLEANER**

Revision date: Product code: 328 Page 2 of 9

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification				
64-17-5	ethyl alcohol			90 - < 95 %	
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H225 H319				
78-93-3	butanone; ethyl methyl ketone			1 - < 5 %	
	201-159-0	606-002-00-3			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
64-17-5	200-578-6	ethyl alcohol	90 - < 95 %	
	dermal: LD50 = 7060 mg/kg			
78-93-3	201-159-0	butanone; ethyl methyl ketone		
	dermal: LD50 = 5000 mg/kg			

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

# Unsuitable extinguishing media

Water.

according to Regulation (EC) No 1907/2006

# **VITA AKZENT LC CLEANER**

Revision date: Product code: 328 Page 3 of 9

## 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### **General measures**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

No special measures are necessary.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

## 7.3. Specific end use(s)

Use as laboratory reagent

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

according to Regulation (EC) No 1907/2006

## VITA AKZENT LC CLEANER

Revision date: Product code: 328 Page 4 of 9

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	
78-93-3	Methyl ethyl ketone (MEK) (Butan-2-one)	200	600		TWA (8 h)	
		300	900		STEL (15 min)	

#### **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	Butan-2-one	70 µmol/L	Urine	Post shift

## 8.2. Exposure controls







## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P Breakthrough time: 30 min NBR (Nitrile rubber)

# Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Wear suitable protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Provide adequate ventilation as well as local exhaustion at critical locations. Technical ventilation of workplace

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: colourless

pH-Value: not determined

Changes in the physical state

Melting point: not determined

Boiling point or initial boiling point and 78 °C

boiling range:

Flash point:

# Flammability

according to Regulation (EC) No 1907/2006

## **VITA AKZENT LC CLEANER**

Revision date: Product code: 328 Page 5 of 9

Solid/liquid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits: 3,5 vol. %
Upper explosion limits: 15 vol. %
Auto-ignition temperature: 425 °C

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: <=1100 hPa

(at 50 °C)

Density: 0,80000 g/cm<sup>3</sup>

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Viscosity / dynamic: 1,2 mPa·s

(at 20 °C)

Relative vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: 0,0 %

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# Revision date: VITA AKZENT LC CLEANER Product code: 328 Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethyl alcohol					
	dermal	LD50 mg/kg	7060			
78-93-3	butanone; ethyl methyl ketone					
	dermal	LD50 mg/kg	5000			

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

# 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself. Waste codes/waste designations according to EWC/AVV

according to Regulation (EC) No 1907/2006

# **VITA AKZENT LC CLEANER**

Revision date: Product code: 328 Page 7 of 9

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

# Inland waterways transport (ADN)

**14.1. UN number:** UN 1170

**14.2. UN proper shipping name:** ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2

# Marine transport (IMDG)

**14.1. UN number:** UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: 144
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1170

14.2. UN proper shipping name: ETHYL ALCOHOL

according to Regulation (EC) No 1907/2006

# VITA AKZENT LC CLEANER

Revision date: Product code: 328 Page 8 of 9

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

Warning: Combustible liquid.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

according to Regulation (EC) No 1907/2006

# **VITA AKZENT LC CLEANER**

Revision date: Product code: 328 Page 9 of 9

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure		
Flam. Liq. 2; H225	On basis of test data		
Eye Irrit. 2; H319	Calculation method		

# Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)