

according to WHMIS

VITAFOL H Hardener

Revision date: 10.07.2023

Product code: 059

Page 1 of 7

1. Identification

Product identifier

VITAFOL H Hardener

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

Details of the supplier of the safety data sheet

Details of the supplier of the sale	ty data sheet	
Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax:+49(0)7761-562-299
E-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
E-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 4 (inhalation) Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation) Specific target organ toxicity - repeated exposure: STOT RE 2

Label elements

WHMIS 2015

Signal word:

Pictograms:

Hazard statements

Flammable liquid and vapour.

Causes serious eye irritation.

Harmful if inhaled.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.

Use explosion-proof electrical/ventilating/lighting equipment.

Warning

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.



according to WHMIS

VITAFOL H Hardener

Revision date: 10.07.2023

Product code: 059

Page 2 of 7

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store in a well-ventilated place. Keep cool.

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Chemical name	Quantity
78-10-4	ethyl silicate, tetraethyl silicate	65 - < 85% (*)
93925-43-0	Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane	7 - < 13% (*)
68299-15-0	Bis(neodecanoyloxy)dioctylstannane	1 - < 5% (*)

(*) The actual concentration is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

Most important symptoms and effects, whether acute or delayed

No information available.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

Specific hazards arising from the hazardous product

Flammable. Vapours can form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures



according to WHMIS

VITAFOL H Hardener

Revision date: 10.07.2023

Product code: 059

Page 3 of 7

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

8. Exposure controls/Personal protection

Control parameters

Exposure controls







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.



according to WHMIS

VITAFOL H Hardener

Revision date: 10.07.2023

Product code: 059

Page 4 of 7

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCK Dermatril P NBR (Nitrile rubber) Breakthrough time: 30 min

Skin protection

Wear suitable protective clothing.

Respiratory protection

Technical ventilation of workplace Provide adequate ventilation as well as local exhaustion at critical locations.

9. Physical and chemical properties

Information on basic physical and chemical properties

information on basic physical and cher		
Physical state:	Liquid	
Colour:	light red	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and	Ł	166 °C
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosive limits:		not determined
Upper explosive limits:		not determined
Flash point:		37 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		No
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		<=1100 hPa
(at 50 °C)		
Density:		not determined
Relative vapour density:		not determined
Other information		
Information with regard to physical	hazard classes	
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:		not determined
Solid content:		0,0 %
10 Stability and reactivity		

10. Stability and reactivity

Reactivity

Flammable.



according to WHMIS

VITAFOL H Hardener

Revision date: 10.07.2023

Product code: 059

Page 5 of 7

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 0.0000 mg/l; ATE (inhalation dust/mist) 1786.00000 mg/l

CAS No	Chemical name					
	Route of exposure	Dose		Species	Source	Method
78-10-4	ethyl silicate, tetraethyl silicate					
		LD50 mg/kg	5860			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1.5 mg/l			
93925-43-0	Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane					
		ATE mg/kg	500			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (ethyl silicate, tetraethyl silicate)

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Bis(neodecanoyloxy)dioctylstannane)

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



according to WHMIS

VITAFOL H Hardener

Revision date: 10.07.2023

Product code: 059

Page 6 of 7

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

14. Transport information

Marine transport (IMDG)	
UN number or ID number:	UN 1292
United Nations proper shipping	TETRAETHYL SILICATE
name:	
Transport hazard class(es):	3
Packing group:	III
Hazard label:	3
Special Provisions:	-
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	
<u>UN number or ID number:</u>	UN 1292
United Nations proper shipping	TETRAETHYL SILICATE
<u>name:</u>	
Transport hazard class(es):	3
Packing group:	



according to WHMIS

VITAFOL H Hardener				
Revision date: 10.07.2023	Product code: 059		Page 7 of 7	
Hazard label:	3			
Limited quantity Passenger: Passenger LQ:	10 L Y344			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:		355		
IATA-max. quantity - Passenger:		60 L		
IATA-packing instructions - Cargo:		366		
IATA-max. quantity - Cargo:		220 L		
Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
15. Regulatory information				

Canadian regulations

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)