

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 17.01.2023

Product code: 265

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VITA VM LC CLEANER

UFI:

6S00-Q0YN-Q00Q-S1WM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax: +49(0)7761-562-299
e-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
e-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	
1.4. Emergency telephone	+49-(0)761-19240	

number:

1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

Regulation (EC) No 1272/2008

Signal	word	
Signai	woru.	

Pictograms:



Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P337+P313	If eye irritation persists: Get medical advice/attention.



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 17.01.2023

Product code: 265

Page 2 of 9

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation	(EC) No 1272/2008)		
64-17-5	ethyl alcohol			90 - < 95 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H	225 H319		
78-93-3	butanone; ethyl methyl ket	one		1 - < 5 %
	201-159-0	606-002-00-3		
	Flam. Liq. 2, Eye Irrit. 2, S	TOT SE 3; H225 H319 H336 EUH	066	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	No Chemical name		
	Specific Conc. I	Limits, M-factors and ATE		
64-17-5	200-578-6	ethyl alcohol	90 - < 95 %	
	dermal: LD50 = 7060 mg/kg			
78-93-3	201-159-0	butanone; ethyl methyl ketone		
	dermal: LD50 = 5000 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 17.01.2023

Product code: 265

Page 3 of 9

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Use as laboratory reagent



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 17.01.2023

Product code: 265

Page 4 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
78-93-3	Butanone	200	600		TWA (8 h)	
		300	900		STEL (15 min)	

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P Breakthrough time: 30 min NBR (Nitrile rubber)

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Provide adequate ventilation as well as local exhaustion at critical locations. Technical ventilation of workplace

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid colourless		
Changes in the physical state			
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and boiling range:		78 °C	
Flash point:		13 °C	
Flammability Solid/liquid: Gas:		not applicable not applicable	
Explosive properties The product is not: Explosive.			
Lower explosion limits:		3,5 vol. %	
Upper explosion limits:		15 vol. %	
Auto-ignition temperature:		425 °C	



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER			
Revision date: 17.01.2023	Product code: 265	Page 5 of 9	
Self-ignition temperature			
Solid: Gas:	not applicable not applicable		
Decomposition temperature:	not determined		
pH-Value:	not determined		
Viscosity / dynamic: (at 20 °C)	1,2 mPa·s		
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:	not determined		
Vapour pressure: (at 50 °C)	<=1100 hPa		
Density:	0,80000 g/cm³		
Relative vapour density:	not determined		
9.2. Other information			
Information with regard to physical hazard classes	i		
Oxidizing properties Not oxidising.			
Other safety characteristics			
Solid content:	0,0 %		
Evaporation rate:	not determined		
Further Information			

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 17.01.2023

Product code: 265

Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethyl alcohol					
	dermal	LD50 mg/kg	7060			
78-93-3	butanone; ethyl methy	yl ketone				
	dermal	LD50 mg/kg	5000			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 17.01.2023

Product code: 265

Page 7 of 9

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself. Waste codes/waste designations according to EWC/AVV

SECTION 14: Transport information

Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL (ETHYL ALCOHOL) 3 II 3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL (ETHYL ALCOHOL) 3 II 3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL (ETHYL ALCOHOL) 3 II 3
Special Provisions:	144
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-D



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER Revision date: 17.01.2023 Product code: 265 Page 8 of 9 Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL) 14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3 A3 A58 A180 **Special Provisions:** Limited quantity Passenger: 11 Y341 Passenger LQ: Excepted quantity: E2 353 IATA-packing instructions - Passenger: 5 L IATA-max. guantity - Passenger: 364 IATA-packing instructions - Cargo: 60 I IATA-max. quantity - Cargo: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Warning: Combustible liquid. 14.7. Maritime transport in bulk according to IMO instruments not applicable **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 75 P5c FLAMMABLE LIQUIDS Information according to 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water Water hazard class (D):

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,5,6,7,8,9,10,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances



according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 17.01.2023

Product code: 265

Page 9 of 9

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure			
Flam. Liq. 2; H225	On basis of test data			
Eye Irrit. 2; H319	Calculation method			

Relevant H and EUH statements (number and full text)

Highly flammable liquid and vapour.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)