1 □□□□□□□□□□

□□□□□

VITA LOW FUSING MODELLING LIQUID

□□□

□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□:	VITA Zahnfabrik H.Rauter GmbH & Co.KG		
□□□:	Spitalgasse 3		
□□:	D-79713 Bad Säckingen		
□□□□□:	1338 D-79704 Bad Säckingen		
□□□□:	+49(0)7761-562-0	□□□□□:	+49(0)7761-562-299
□□□□□:	info@vita-zahnfabrik.com		
□□□:	regulatory affairs		
□□□□□:	info@vita-zahnfabrik.com		
□□□□□□□:	www.vita-zahnfabrik.com		
□□□□:	Regulatory Affairs		
□□□□□□□□□□□□□□□□□:	+49-(0)761-19240		

□□□□□

medical device

2 □□□□□□□□□

□□□□□□□□□□□□

□□□□**GHS (ST/SG/AC.10/11/Rev.8)**

□□□□□□□ST/SG/AC.10/30/Rev.8 (GHS)□□□□□□□□□□□□□□□□□□□□□

□□□□□

□□□□□□□□

□□□□□□□□□

3 □□□□□□□□□

□□□

□□□□

□□□ □□□□□□□□□□_□□□□ □□□□ □□□ □□□

4 □□□□

□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□.

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

5 □□□□□□□

□□□

□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□: □□□□□□□□□□□□□□□□□□

6 □□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□

□□□□□□□□

□/□□□□□□□□

□□□□/□□□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□4□□□□□□□□□□CE□□□□□□□□□□□□□□

□□□□

□□□□□□□□□ □

□□□□□□□□□□

□□□□□: 0

□□□□: □□□□□□□□□

10 □□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□

□□

□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

11 □□□□□□

□□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□/□□□□□/□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□EC□□No 1272/2008 [CLP]□□□□□□□□□□□□□□□□□□□□□□

12 □□□□□□□

□□

□□□□□□□□□□□□: □□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
□□□□□□□□□□□□□□□http://abbrev.esdscom.eu □□□□□

□□□□□□□□□□□□□□□