

according to 29 CFR 1910.1200(g)

VITACOLL

Revision date: 10.07.2023

Product code: 040

Page 1 of 9

1. Identification

Product identifier

VITACOLL

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Use as laboratory reagent

Details of the supplier of the safety data sheet

Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax: +49(0)7761-562-299
E-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
E-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	

Further Information

medical device

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2A Respiratory or skin sensitization: Skin Sens. 1 Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects) Specific target organ toxicity single exposure: STOT SE 3 (respiratory tract irritation)

Label elements

29 CFR Part 1910.1200

Signal	word:	D)

Pictograms:



Hazard statements

Highly flammable liquid and vapor

- Causes skin irritation
- May cause an allergic skin reaction
- Causes serious eye irritation
- May cause respiratory irritation
- May cause drowsiness or dizziness

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray.



according to 29 CFR 1910.1200(g)

VITACOLL

Revision date: 10.07.2023

Product code: 040

Page 2 of 9

Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

Hazardous components

CAS No	Components	Quantity
78-93-3	butanone; ethyl methyl ketone	49.99 %
80-62-6	methyl methacrylate	49.95 %

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

Specific hazards arising from the chemical

Highly flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures



according to 29 CFR 1910.1200(g)

VITACOLL

Revision date: 10.07.2023

Product code: 040

Page 3 of 9

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No	Substance	ppm	mg/m³	f/cc	Category	Origin
78-93-3	2-Butanone (Methyl ethyl ketone)	200	590		TWA (8 h)	PEL
78-93-3	2-Butanone	200	590		TWA (8 h)	REL
		300	885		STEL (15 min)	REL
150-76-5	4-Methoxyphenol	-	5		TWA (8 h)	REL
80-62-6	Methyl methacrylate	100	410		TWA (8 h)	PEL
		100	410		TWA (8 h)	REL



according to 29 CFR 1910.1200(g)

VITACOLL

Revision date: 10.07.2023

Product code: 040

Page 4 of 9

Exposure controls











Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

. Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Butoject Butyl caoutchouc (butyl rubber) Breakthrough time: 60 min

Skin protection

Wear suitable protective clothing.

Respiratory protection

Technical ventilation of workplace Provide adequate ventilation as well as local exhaustion at critical locations.

9. Physical and chemical properties

Information on basic physical and chemical properties

information on pasic physical and chemica	a properties	
Physical state:	Liquid	
Color:	colorless	
Odor:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		79 °C
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		1,8 vol. %
Upper explosion limits:		12,5 vol. %
Flash point:		< 12 °C
Auto-ignition temperature:		430 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		No
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapor pressure:		<=1100 hPa
(at 50 °C)		
Density:		0,87200 g/cm³
Relative vapour density:		not determined
Other information		

Information with regard to physical hazard classes



according to 29 CFR 1910.1200(g)

VITACOLL		
evision date: 10.07.2023	Product code: 040	Page 5 of 9
Explosive properties		
The product is not: Explosive.		
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	0,0 %	

10. Stability and reactivity

Reactivity

Highly flammable.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
78-93-3	butanone; ethyl methyl ke	tone			
	dermal	LD50 5000 mg/kg			
80-62-6	methyl methacrylate			-	
	dermal	LD50 > 5000 mg/kg			

Irritation and corrosivity

Causes skin irritation

Causes serious eye irritation



according to 29 CFR 1910.1200(g)

VITACOLL

Revision date: 10.07.2023

Product code: 040

Page 6 of 9

Sensitizing effects

May cause an allergic skin reaction (methyl methacrylate; 4-methoxyphenol, hydroquinone monomethyl ether, mequinol)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

May cause respiratory irritation (methyl methacrylate) May cause drowsiness or dizziness (butanone; ethyl methyl ketone)

Specific target organ toxicity (STOT) - repeated exposure

	.,
Based on available data, the cla	ssification criteria are not met.
Carcinogenicity (OSHA):	No ingredient of this mixture is listed.
Carcinogenicity (IARC):	Methyl methacrylate (CAS 80-62-6) is listed in group 3.
Carcinogenicity (NTP):	No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Avoid release to the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

14. Transport information

Marine transport (IMDG)	
UN number or ID number:	UN 1993
UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; butanone; ethyl methyl ketone)
Transport hazard class(es):	3



according to 29 CFR 1910.1200(g)

	VITACOLL	
Revision date: 10.07.2023	Product code: 040	Page 7 of 9
Packing group:	II	
Hazard label:	3	
Special Provisions:	274	
Limited quantity:	1L	
Excepted quantity:	E2	
EmS:	F-E, S-E	
Air transport (ICAO-TI/IATA-DGR)		
UN number or ID number:	UN 1993	
UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (methyl methacrylat	te; butanone; ethyl
Turney and beyond along (ap).	methyl ketone) 3	
<u>Transport hazard class(es):</u> Packing group:	5 II	
Hazard label:	3	
	3	
Special Provisions:	A3	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	60 L	
Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Νο	
Special precautions for user		
Warning: Combustible liquid.		
Transport in bulk according to Annex II of	ARPOL 73/78 and the IBC Code	
not applicable		
15. Regulatory information		
U.S. Regulations		
National regulatory information		
SARA Section 304 CERCLA:		
	ortable quantity = 5,000 (2270) lbs. (kg)	
	ortable quantity = $1,000 (454)$ lbs. (kg)	
SARA Section 311/312 Hazards:	, , , , , , , , , , , , , , , , , , , ,	
	nazard, Immediate (acute) health hazard	

Methyl methacrylate (80-62-6): Fire hazard, Immediate (acute) health hazard

4-methoxyphenol, hydroquinone monomethyl ether, mequinol (150-76-5): Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Methyl methacrylate (80-62-6): De minimis limit = 1.0 %, Reportable threshold = Standard

Clean Air Act Section 112(b):

Methyl ethyl ketone (78-93-3), Methyl methacrylate (80-62-6)

State Regulations



Page 8 of 9

according to 29 CFR 1910.1200(g)

VITACOLL Product code: 040

Revision date: 10.07.2023

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

6. Other information	
Changes	
Revision date:	10.07.2023
Revision No:	4
This data sheet contains o	changes from the previous version in section(s): 1.
Abbreviations and acronyms	
-	r Ir le transport des marchandises dangereuses par Route
-	ncerning the International Carriage of Dangerous Goods by Road)
	me Code for Dangerous Goods
IATA: International Air Tra	-
	d System of Classification and Labelling of Chemicals
-	tory of Existing Commercial Chemical Substances
ELINCS: European List of	Notified Chemical Substances
CAS: Chemical Abstracts	Service
LC50: Lethal concentratio	n, 50%
LD50: Lethal dose, 50%	
CLP: Classification, labelli	ing and Packaging
REACH: Registration, Eva	aluation and Authorization of Chemicals
GHS: Globally Harmonise	d System of Classification, Labelling and Packaging of Chemicals
UN: United Nations	
DNEL: Derived No Effect	
DMEL: Derived Minimal E	
PNEC: Predicted No Effect	
ATE: Acute toxicity estimation	
LL50: Lethal loading, 50%	
EL50: Effect loading, 50%	
EC50: Effective Concentra	
ErC50: Effective Concent	-
NOEC: No Observed Effe	
BCF: Bio-concentration fa	
PBT: persistent, bioaccum	
vPvB: very persistent, ver	
-	ing the international carriage of dangerous goods by rail
	nt concerning the International Carriage of Dangerous Goods by Inland Waterways u transport international des marchandises dangereuses par voies de navigation
	u transport international des marchandises dangereuses par voles de navigation
intérieures) EmS: Emergency Schedu	
MFAG: Medical First Aid (
ICAO: International Civil A	
	onvention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Co	·
SVHC: Substance of Very	
-	onyms, see table at http://abbrev.esdscom.eu
Other data	
	on the present level of our knowledge. It does not however, give assurance of product

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to 29 CFR 1910.1200(g)

VITACOLL

Revision date: 10.07.2023

Product code: 040

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)