

according to WHMIS

VITA VM LC OPAQUE LIQUID

Revision date: 17.01.2023

Product code: 186

Page 1 of 9

1. Identification

Product identifier

VITA VM LC OPAQUE LIQUID

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

Details of the supplier of the safety data sheet

Details of the supplier of the safety	uala sheel	
Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax: +49(0)7761-562-299
e-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
e-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	
Emergency telephone number:	+49-(0)761-19240	

Further Information

medical device

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Respiratory or skin sensitization: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation)

Label elements

WHMIS 2015

Signal word:

Pictograms:



Hazard statements

Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed.



according to WHMIS

VITA VM LC OPAQUE LIQUID

Revision date: 17.01.2023

Product code: 186

Page 2 of 9

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Chemical name	Quantity
97-90-5	ethylene dimethacrylate	30 - < 60% (*
80-62-6	methyl methacrylate	10 - < 30% (*
72869-86-4	7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers)	10 - < 30% (*
2867-47-2	2-dimethylaminoethyl methacrylate	1 - < 5% (*
868-77-9	2-hydroxyethyl methacrylate	0.5 - < 1.5%
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	0.1 - < 1% (*

(*) The actual concentration is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, whether acute or delayed

No information available.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

Specific hazards arising from the hazardous product

Highly flammable. Vapours can form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with



according to WHMIS

VITA VM LC OPAQUE LIQUID

Revision date: 17.01.2023

Product code: 186

Page 3 of 9

water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/Personal protection

Control parameters

Exposure controls











according to WHMIS

VITA VM LC OPAQUE LIQUID

Revision date: 17.01.2023

Product code: 186

Page 4 of 9

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Vitoject Breakthrough time: 30 min FKM (fluoro rubber)

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Provide adequate ventilation as well as local exhaustion at critical locations. Technical ventilation of workplace

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	light yellow	
Odour:	characteristic	
Changes in the physical state		
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		101 °C
Flash point:		10 °C
Flammability Solid/liquid: Gas:		not applicable not applicable
Explosive properties The product is not: Explosive.		
Lower explosive limits:		2,1 vol. %
Upper explosive limits:		12,5 vol. %
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		No
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure: (at 50 °C)		<=1100 hPa



according to WHMIS

VITA VM LC OPAQUE LIQUID				
Revision date: 17.01.2023	Product code: 186	Page 5 of 9		
Density:	not determined			
Relative vapour density:	not determined			
Other information				
Information with regard to physical ha	zard classes			
Oxidizing properties Not oxidising.				
Other safety characteristics				
Solid content:	0,0 %			
Evaporation rate:	not determined			
Further Information				

Reactivity

Highly flammable.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



according to WHMIS

VITA VM LC OPAQUE LIQUID

Revision date: 17.01.2023

Product code: 186

Page 6 of 9

CAS No	Chemical name					
	Route of exposure	Dose		Species	Source	Method
97-90-5	ethylene dimethacrylate					
	dermal	LD50 mg/kg	3300			
80-62-6						
	dermal	LD50 mg/kg	> 5000			
2867-47-2	17-2 2-dimethylaminoethyl methacrylate					
	oral	ATE mg/kg	500			
	dermal	ATE mg/kg	1100			
868-77-9	2-hydroxyethyl methacrylate					
	oral	LD50 mg/kg	5050	Rat		
80-62-6	methyl methacrylate; me	thyl 2-methy	lprop-2-enoa	te; methyl 2-methylproper	ioate	
	dermal	LD50 mg/kg	>5000			

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction. (ethylene dimethacrylate; methyl methacrylate;

7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers); 2-dimethylaminoethyl methacrylate; 2-hydroxyethyl methacrylate; methyl methacrylate; methyl

2-methylprop-2-enoate; methyl 2-methylpropenoate) Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (ethylene dimethacrylate; methyl methacrylate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.



according to WHMIS

VITA VM LC OPAQUE LIQUID

Revision date: 17.01.2023

Product code: 186

Page 7 of 9

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

Hazard classes:

Marine transport (IMDG)	
UN number or ID number:	UN 1247
United Nations proper shipping	METHYL METHACRYLATE MONOMER, STABILIZED
name:	
Transport hazard class(es):	3
Packing group:	II
Hazard label:	3
Special Provisions:	386
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	
UN number or ID number:	UN 1247
United Nations proper shipping	METHYL METHACRYLATE MONOMER, STABILIZED
name:	
Transport hazard class(es):	3
Packing group:	II
Hazard label:	3
Special Provisions:	A209
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	353



according to WHMIS

VITA VM LC OPAQUE LIQUID Revision date: 17.01.2023 Product code: 186 Pa IATA-max. quantity - Passenger: 5 L 1474-max. quantity - Cargo: 364 IATA-max. quantity - Cargo: 60 L Environmental hazards 50 L	age 8 of 9
IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L	age 8 of 9
IATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L	
IATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L	
IATA-max. quantity - Cargo: 60 L	
ENVIRONMENTALLY HAZARDOUS: No	
15. Regulatory information	
Canadian regulations	
16. Other information	
Changes	
This data sheet contains changes from the previous version in section(s): 1,14.	
Abbreviations and acronyms	
ADR: Accord européen sur le transport des marchandises dangereuses par Route	
(European Agreement concerning the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service	
LC50: Lethal concentration, 50%	
LD50: Lethal dose, 50%	
CLP: Classification, labelling and Packaging	
REACH: Registration, Evaluation and Authorization of Chemicals	
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals	
UN: United Nations	
DNEL: Derived No Effect Level	
DMEL: Derived Minimal Effect Level	
PNEC: Predicted No Effect Concentration	
ATE: Acute toxicity estimate	
LL50: Lethal loading, 50%	
EL50: Effect loading, 50% EC50: Effective Concentration 50%	
ErC50: Effective Concentration 50% growth rate	
NOEC: No Observed Effect Concentration	
BCF: Bio-concentration factor	
PBT: persistent, bioaccumulative, toxic	
vPvB: very persistent, very bioaccumulative	
RID: Regulations concerning the international carriage of dangerous goods by rail	
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation	
intérieures)	
EmS: Emergency Schedules	
MFAG: Medical First Aid Guide	
ICAO: International Civil Aviation Organization	
MARPOL: International Convention for the Prevention of Marine Pollution from Ships	
IBC: Intermediate Bulk Container	
VOC: Volatile Organic Compounds	
SVHC: Substance of Very High Concern	
For abbreviations and acronyms, see table at http://abbrev.esdscom.eu	



according to WHMIS

VITA VM LC OPAQUE LIQUID

Revision date: 17.01.2023

Product code: 186

Page 9 of 9

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)