1 □□□□□□□□□□

□□□□□

VITA VM LC OPAQUE PASTE und VM LC GINGIVA OPAQUE PASTE

□□

□□

□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□:	VITA Zahnfabrik H.Rauter GmbH & Co.KG		
□□□:	Spitalgasse 3		
□□:	D-79713 Bad Säckingen		
□□□□□:	1338 D-79704 Bad Säckingen		
□□□□:	+49(0)7761-562-0	□□□□□:	+49(0)7761-562-299
□□□□□:	info@vita-zahnfabrik.com		
□□□:	regulatory affairs		
□□□□□:	info@vita-zahnfabrik.com		
□□□□□□□:	www.vita-zahnfabrik.com		
□□□□:	Regulatory Affairs		

□□□□□□□□□□□□□□□□□: +49-(0)761-19240

□□□□□

medical device

2 □□□□□□□□□

□□□□□□□□□□□□

EC □□ No. 1272/2008

□□□□□□□□□□□:

□□□□□/□□□: □□□□ 2

□□□□□□□□□□□/□□□□: □□□□. 2

□□□□□□□□□□□□□□□: □□□□□ 1

□□□□□□□□: □□□□□□□□□□ 3

□□□□□□□□:

□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□

EC □□ No. 1272/2008

□□□□□□□□□□□□□□□□□□□□□□

2-hydroxyethyl methacrylate

7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers)

2-dimethylaminoethyl methacrylate

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

□□□□□: □□

□□□□□□□□:

□□□□□□□□

H315	□□□□□□
H317	□□□□□□□□□□□□□□□□□□□□□□
H319	□□□□□□□
H412	□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□

P261	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
P273	□□□□□□□□□□□□□□□□
P280	□□
P302+P352	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
P305+P351+P338	□□ □□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□

3 □□□□□□□□□□

□□□

□□□□□□□

CAS□□	□□□	□□
	□□ (EC □□ No. 1272/2008)	
72869-86-4	7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers)	15 - < 20 %
	Skin Sens. 1B, Aquatic Chronic 3; H317 H412	
94108-97-1	Ditrimethylolpropane Tetraacrylate	5 - < 10 %
	Eye Irrit. 2, Aquatic Chronic 2; H319 H411	
2867-47-2	2-dimethylaminoethyl methacrylate	5 - < 10 %
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H312 H302 H315 H319 H317	
10373-78-1	Camphorquinone	1 - < 5 %
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335	
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1 - < 5 %
	Repr. 2, Skin Sens. 1, Aquatic Chronic 2; H361f H317 H411	
79-41-4	Methacrylsäure	< 1 %
	Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, STOT SE 3; H311 H332 H302 H314 H335	

H□□□EUH□□□□□□: 16□□□□□□□□□ □

SCL□M-factor □□/□□ ATE

CAS□□	EC□□	□□□	□□
	SCL□M-factor □□/□□ ATE		
2867-47-2	220-688-8	2-dimethylaminoethyl methacrylate	5 - < 10 %
	□□: □□□□□□□□ = 1100 mg/kg; □□: □□□□□□□□ = 500 mg/kg		
79-41-4	201-204-4	Methacrylsäure	< 1 %
	□□: □□□□□□□□ = 11 mg/l (□□); □□: □□□□□□□□ = 1.5 mg/l (□/□□□); □□: □□□□□□□□ = 300 mg/kg; □□: □□□□□□□□ = 500 mg/kg		

4 □□□□□

□□□□□□□□□□□

□□□□□□□

□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□□ □□ □□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□

□□□□□□□

□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□.

□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

5 □□□□□□

□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□

□□□□

□□/□□/□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□ □□

6 □□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□

□□□□□□□□□□□ □□/□/□□/□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□ □□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□: □□□□ □ 7

□□□□□□: □□□□ □ 8

□□□□□: □□□□ □ 13

7 □□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□

8 □□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

CAS□□	□□□	ppm	mg/□	□□/ml	□□
79-41-4	□□□□□□□; Methacrylic acid	2	7		□□□□

□□□□

□□□□□□□

□/□□□□□□□□

□□□□□□□□: □□□□□□

□□□□□

□□□□□□□□□□□□□□4□□□□□□□□□□□CE□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□ □□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□ KCL DermatrilP NBR (□□□□□□□) □□□□ 480 min

□□□□□

□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□

9 □□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□:
□:

□□□□□

□□/□□□□□:	□□□□□□□□□
□□□□□□□□□□□□□□□□:	?
□□□:	151 °C

□□□

□□/□□□:	□□□□□□□□□
□□:	□□□

□□□□

□□□□□□□□□□□□□: □□□□□□□□□□

□□□□:	□□□□□□□□□
□□□□:	□□□□□□□□□
□□□□□□□	
□□:	□□□□□□□□□
□□:	□□□
□□□□:	□□□□□□□□□
□H□:	□□□□□□□□□
□□□:	□□□
□□□□□□□□□□	
□□□□□□□□□	
n-□□□□□□□/□□□□□:	□□□□□□□□□
□□□: (□ 50 °C)	<=1100 hPa
□□:	□□□□□□□□□
□□□□□□□:	□□□□□□□□□

□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□

□□□□□□□□□ □

□□□□□□□□□□

□□□□□:	49,4 %
□□□□:	□□□□□□□□□

□□□□□

10 □□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□

□□

□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

11 □□□□□□

□□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

CAS□□	□□□				
	□□□□□□	□□□	□	□□□□□□	□□
2867-47-2	2-dimethylaminoethyl methacrylate				
	□□□	□□□□□□□□ 500 mg/kg			
	□□□	□□□□□□□□ 1100 mg/kg			
79-41-4	Methacrylsäure				
	□□□	□□□□□□□□ 500 mg/kg			
	□□□	□□□□□□□□ 300 mg/kg			
	□□□□□□ □□	□□□□□□□□ 11 mg/l			
	□□□□□□ □/□□□	□□□□□□□□ 1.5 mg/l			

□□□□□□□□□□

□□□□□□

□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□□
(7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers); 2-dimethylaminoethyl methacrylate; Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

□□□□□□□□□□□/□□□□□/□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□EC□□No 1272/2008 [CLP]□□□□□□□□□□□□□□□□□□□□□□□□

12 □□□□□□□□

□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□

□□□□□□□□□□□

□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□ □□/□□□□□□□□□□□□□□□

13 □□□□□□□

□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□ □□/□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□

□□□□□□

□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□
EAK/AVV□□□□□□□□□□□□□□□□□□□

14 □□□□□□□

□□□□ **(IMDG)**

UN□□□□□ID□□:	UN 3243
□□□□□□□□□:	SOLIDS CONTAINING TOXIC LIQUID, N.O.S. (7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers), 2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester)
□□□□□□□□□□□□□□□:	6.1
□□□□□□□□□:	II
□□□□□□:	6.1

□□□□□:	217, 274
□□□:	500 g
□□:	E4
EmS:	F-A, S-A

□□ **(ICAO-TI/IATA-DGR)**

UN□□□□□ID□□:	UN 3243
□□□□□□□□□:	SOLIDS CONTAINING TOXIC LIQUID, N.O.S. (7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers), 2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester)
□□□□□□□□□□□□□□□:	6.1
□□□□□□□□□:	II
□□□□□□:	6.1

□□□□□:	A50	
□□□-□□:	1 kg	
Passenger LQ:	Y644	
□□:	E4	
IATA□□□□□-□□:		669
IATA□□□□-□□:		25 kg
IATA□□□□□□□□□□:		676

IATA□□□□□□□□□□: 100 kg

□□□□□□□□

□□□□□□□□□: □□□

□□□□□□□□□□□□□□□

□□□□□□□□□

MARPOL 73/78 □□□□□ II □□□ IBC Code □□□□□□□□□□□

□□□

15 □□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□/□□

□□□□□□

□□□□: □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□: 3 - □□□□□□□□□□□

□□□□/□□: □□□□□□□□□□□□□□□□□□

16 □□□□□□□

□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 7,8,14.

□□□□□□□□□□

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
□□□□□□□□□□□□□□□□http://abbrev.esdscom.eu □□□□□□

GHS□□□□□□□□□□□□□□□□□□□□□□□

□□	□□□□
Skin Irrit. 2; H315	□□□□
Eye Irrit. 2; H319	□□□□
Skin Sens. 1; H317	□□□□
Aquatic Chronic 3; H412	□□□□

H□□□EUH□□□□□□(□□□□□□□□)

H302	□□□□□□□□□
H311	□□□□□□□□□□□□
H312	□□□□□□□□□□□□
H314	□□□□□□□□□□□□□□□□□
H315	□□□□□□
H317	□□□□□□□□□□□□□□□□□□□□
H319	□□□□□□□
H332	□□□□□□□□□
H335	□□□□□□□□□□□□□
H361f	□□□□□□□□□□□
H411	□□□□□□□□□□□□□□□□□□□□□
H412	□□□□□□□□□□□□□□□□□□□□□

□□