

# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### **VITA AKZENT LC**

Revision date: 12.02.2024 Product code: 317 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

VITA AKZENT LC

#### Further trade names

VITA AKZENT LC GLAZE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Special finishes Use as laboratory reagent

# 1.3. Details of the supplier of the safety data sheet

Company name: VITA Zahnfabrik H.Rauter GmbH & Co.KG

Street: Spitalgasse 3

Place: D-79713 Bad Säckingen

Post-office box: 1338

D-79704 Bad Säckingen

Telephone: +49(0)7761-562-0 Telefax: +49(0)7761-562-299

E-mail: info@vita-zahnfabrik.com

Contact person: regulatory affairs

E-mail: info@vita-zahnfabrik.com
Internet: www.vita-zahnfabrik.com
Responsible Department: Regulatory Affairs

Further Information

medical device

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## UN GHS (ST/SG/AC.10/11/Rev.9)

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation)

Hazardous to the aquatic environment: Aquatic Chronic 3

# 2.2. Label elements

### UN GHS (ST/SG/AC.10/11/Rev.9)

# Hazard components for labelling

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate

2-Propenoic acid, reaction products with pentaerythritol

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinat

pentaerythritol tetraacrylate
pentaerythritol triacrylate
triethylene glycol dimethacrylate

Signal word: Danger

Pictograms:









# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### **VITA AKZENT LC**

Revision date: 12.02.2024 Product code: 317 Page 2 of 8

### **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name	Quantity	
	Classification (UN GHS (ST/SG/AC.10/11/Rev.9))		
80-62-6	methyl methacrylate	30 - < 35 %	
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335		
	Hexamethylene diisocyanate polymer with pentaerytriol reaction products with acrylic acid	25 - < 30 %	
	Skin Irrit. 2; H315		
72869-86-4	7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylat	5 - < 10 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335		
1245638-61- 2	2-Propenoic acid, reaction products with pentaerythritol	5 - < 10 %	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H302 H315 H318 H317 H411		
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinat	1 - < 5 %	
	Skin Sens. 1, Aquatic Chronic 2; H317 H411		
3524-68-3	pentaerythritol triacrylate	1 - < 5 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317		
4986-89-4	pentaerythritol tetraacrylate	1 - < 5 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317		
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	1 - < 5 %	
	Skin Sens. 1B; H317		
109-16-0	triethylene glycol dimethacrylate	1 - < 5 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335		
	Maleinsäureanhydrid, Telomer mit a-Methylstyrol, Dimer und Styrol, 3- (Dimethylamino)propylimid, Imid mit Polyethylenpolypropylenglykol 2-aminopropyl Me ether, quaternisiert mit 2-[(C10-16-alkyloxy)methyl]oxiran	< 1 %	
	Aquatic Chronic 1; H410		
868-77-9	2-hydroxyethyl methacrylate	< 1 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317		



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

#### **VITA AKZENT LC**

Revision date: 12.02.2024 Product code: 317 Page 3 of 8

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. When in doubt or if symptoms are observed, get medical advice.

#### After contact with eves

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. When in doubt or if symptoms are observed, get medical advice.

#### After ingestion

Rinse mouth immediately and drink plenty of water. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

# 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

### 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### **VITA AKZENT LC**

Revision date: 12.02.2024 Product code: 317 Page 4 of 8

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
80-62-6	Methyl methacrylate	50	-		TWA (8 h)	
		100	-		STEL (15 min)	

### 8.2. Exposure controls









### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

# **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Butyl Breakthrough time: 60 min Butyl caoutchouc (butyl rubber) / Breakthrough time: 8 min

### Skin protection

Wear suitable protective clothing.



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### **VITA AKZENT LC**

Revision date: 12.02.2024 Product code: 317 Page 5 of 8

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Provide adequate ventilation as well as local exhaustion at critical locations.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

Melting point/freezing point:

Boiling point or initial boiling point and

101 °C

boiling range:

Flammability: not applicable

not applicable

Lower explosion limits: 2,1 vol. %
Upper explosion limits: 12,5 vol. %
Flash point: 10 °C
Decomposition temperature: not determined
pH-Value: not determined

pH-Value: not determined
Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,13 g/cm³

not determined

# 9.2. Other information

## Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### **VITA AKZENT LC**

Revision date: 12.02.2024 Product code: 317 Page 6 of 8

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### **ATEmix calculated**

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12.5 mg/l

#### **Acute toxicity**

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
80-62-6	methyl methacrylate						
	dermal	LD50 mg/kg	> 5000				
1245638-61- 2	2-Propenoic acid, reaction products with pentaerythritol						
	oral	ATE mg/kg	500				
868-77-9	2-hydroxyethyl methacrylate						
	oral	LD50 mg/kg	5050	Rat			

### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name							
	Aquatic toxicity	Dose	[h]   [c	Species	Source	Method		
868-77-9	2-hydroxyethyl methacrylate							
	Acute fish toxicity	LC50 227 m	/I 96	Pimephales promelas				

### 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
868-77-9	2-hydroxyethyl methacrylate	0,47

## 12.4. Mobility in soil

The product has not been tested.

## 12.6. Endocrine disrupting properties



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### VITA AKZENT LC

Revision date: 12.02.2024 Product code: 317 Page 7 of 8

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

## **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Marine transport (IMDG)

UN 1993 14.1. UN number or ID number:

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; Hexamethylene

diisocyanate polymer with pentaerytriol reaction products with acrylic acid)

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label:

3



274 Special Provisions: Limited quantity: 1 L E2 **Excepted quantity:** F-E, S-E EmS:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (methyl methacrylate; Hexamethylene

diisocyanate polymer with pentaerytriol reaction products with acrylic acid)

Print date: 12.02.2024

3 14.3. Transport hazard class(es): П 14.4. Packing group: Hazard label: 3



**A3 Special Provisions:** Limited quantity Passenger: 1 L Y341 Passenger LQ: E2 Excepted quantity:

353 IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: 5 I IATA-packing instructions - Cargo: 364 60 L IATA-max. quantity - Cargo:

## 14.5. Environmental hazards



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### **VITA AKZENT LC**

Revision date: 12.02.2024 Product code: 317 Page 8 of 8

**ENVIRONMENTALLY HAZARDOUS:** No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)