

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

VITA VIONIC® TRY-IN RESIN

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lichthärtendes Einkomponentenmaterial zur generativen Herstellung von dentalen Restaurationen wie provisorischen Kronen und Brücken.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: DETAX GmbH  
 Street: Carl-Zeiss-Strasse 4  
 Place: D-76275 Ettlingen  
 Telephone: +497243/510-0  
 E-mail: post@detax.com  
 Internet: www.detax.com

#### Supplier

Company name: VITA Zahnfabrik H.Rauter GmbH & Co.KG  
 Street: Spitalgasse 3  
 Place: D-79713 Bad Säckingen  
 Telephone: +49(0)7761-562-0  
 E-mail: info@vita-zahnfabrik.com  
 Contact person: regulatory affairs  
 E-mail: info@vita-zahnfabrik.com  
 Internet: www.vita-zahnfabrik.com  
 Responsible Department: Regulatory Affairs  
 Telefax: +49(0)7761-562-299

### 1.4. Emergency telephone number:

+1-800-424-9300 (CHEMTREC)

### Further Information

Medizinprodukt

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Skin Sens. 1; H317  
 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

7,7,9(or 7,9,9)  
 -Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylat-2-Hydroxyethylmethacrylat  
 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide  
 2-hydroxyethyl methacrylate  
 Hydroxypropylmethacrylat  
 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Signal word: Warning

## Safety Data Sheet

according to Regulation (EC) No 1907/2006


### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 2 of 11

#### Pictograms:



#### Hazard statements

- H317 May cause an allergic skin reaction.  
 H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P501 Dispose of contents/container to an appropriate recycling or disposal facility.  
 P391 Collect spillage.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P302+P352 IF ON SKIN: Wash with plenty of Water..  
 P273 Avoid release to the environment.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mischung aus Acryl-/Methacrylharzen mit Hilfsstoffen

##### Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Alkoxyliertes Phenol-Derivat, Methacrylat-Terminiert			40- < 60%
	Aquatic Chronic 4; H413			
72869-86-4	7,7,9(or 7,9,9) -Trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecan-1,16-diylbismethacrylat-2-Hydroxyethylmethacrylat			20- < 40%
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			0,1 < 5 %
	423-340-5	015-189-00-5		
	Skin Sens. 1A, Aquatic Chronic 4; H317 H413			
6606-59-3	1,6-Hexandioldimethacrylat			0,1 < 5 %
	Aquatic Chronic 3; H412			
27813-02-1	Hydroxypropylmethacrylat			0,1 < 5 %
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H319 H317			
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			0,1 < 5 %
	278-355-8			
	Repr. 2, Skin Sens. 1, Aquatic Chronic 2; H361f H317 H411			
868-77-9	2-Hydroxyethyl methacrylate			0,1 - < 5 %
	212-782-2	607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 3 of 11

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
72869-86-4		7,7,9(or 7,9,9) -Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylat2-Hydroxyethylmethacrylat	20- < 40%
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0,1 < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
27813-02-1	248-666-3	Hydroxypropylmethacrylat	0,1 < 5 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 2000 mg/kg	
75980-60-8	278-355-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0,1 < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0,1 - < 5 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = 5564 mg/kg	

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Seek medical advice immediately.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

##### 5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air.

##### 5.3. Advice for firefighters

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### General advice

Avoid contact with eyes and skin.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

##### 7.2. Conditions for safe storage, including any incompatibilities

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 4 of 11

#### DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		
Worker DNEL, long-term	dermal	systemic	0,233 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,145 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	0,0833 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,0833 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	0,822 mg/m <sup>3</sup>

#### 8.2. Exposure controls

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye protection Wear eye/face protection.

##### Hand protection

Wear suitable gloves.

##### Skin protection

Wear suitable protective clothing.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:

Colour: zahnfarben

##### Test method

Boiling point or initial boiling point and boiling range: 315 °C

Flash point: &gt;93 °C DIN 51755

Auto-ignition temperature: 445 °C

Decomposition temperature: &gt;=190 °C

 Vapour pressure: <1 hPa  
(at 20 °C)

 Density (at 20 °C): 1,1 g/cm<sup>3</sup>

#### 9.2. Other information

##### Information with regard to physical hazard classes

Oxidizing properties

Not oxidising.

### SECTION 10: Stability and reactivity

#### 10.3. Possibility of hazardous reactions

Reacts with : Oxidising agent

#### 10.4. Conditions to avoid

Reacts with :

### SECTION 11: Toxicological information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 5 of 11

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecan-1,16-diylbismethacrylat-2-Hydroxyethylmethacrylat				
	oral	LD50 > 5000 mg/kg	Ratte	OECD 401	
	dermal	LD50 > 2000 mg/kg	Ratte	OECD 402	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide				
	oral	LD50 > 2000 mg/kg	Rat	OECD 401	
	dermal	LD50 > 2000 mg/kg	Rat	OECD 402	
27813-02-1	Hydroxypropylmethacrylat				
	oral	LD50 > 2000 mg/kg	Rat	OECD 401	
	dermal	LD50 > 5000 mg/kg	Rabbit		
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		
868-77-9	2-hydroxyethyl methacrylate				
	oral	LD50 5564 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		

##### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

##### Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecan-1,16-diylbismethacrylat-2-Hydroxyethylmethacrylat; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide; Hydroxypropylmethacrylat; Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; 2-hydroxyethyl methacrylate)

##### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 6 of 11

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 7 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	Alkoxyliertes Phenol-Derivat, Methacrylat-Terminiert					
	Acute fish toxicity	LC50 >100 mg/l	96 h			
	Acute algae toxicity	ErC50 >100 mg/l	72 h			
	Acute crustacea toxicity	EC50 >100 mg/l	48 h			
72869-86-4	7,7,9(or 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylat-2-Hydroxyethylmethacrylat					
	Acute fish toxicity	LC50 >100 mg/l	96 h			OECD 203
	Acute algae toxicity	ErC50 >100 mg/l	72 h			OECD 201
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	OECD 202	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide					
	Acute fish toxicity	LC50 > 0,09 mg/l	96 h	Danio rerio(Zebrabärbling)	OECD 203	
	Acute algae toxicity	ErC50 > 0,26 mg/l	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 > 1,175 mg/l	48 h	Daphnia magna	OECD 202	
27813-02-1	Hydroxypropylmethacrylat					
	Acute fish toxicity	LC50 493 mg/l	96 h	Leuciscus idus(Goldorfe)		
	Acute algae toxicity	ErC50 > 97,2 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 380 mg/l	48 h	Daphnia magna	OECD 202	
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
	Acute algae toxicity	ErC50 > 2,01 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 3,53 mg/l	48 h	Daphnia magna(Großer Wasserfloh)		
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h			
868-77-9	2-hydroxyethyl methacrylate					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50 836 mg/l		Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50 380 mg/l	48 h	Daphnia magna		OECD 202

#### 12.2. Persistence and degradability

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 8 of 11

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide				
	CO2		1%	29	
27813-02-1	Hydroxypropylmethacrylat				
			94 %	28	
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
			0-10 %	28	
868-77-9	2-hydroxyethyl methacrylate				
			92-100%	14	

### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(or 7,9,9) -Trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecan-1,16-diylbismethacrylat2-Hydroxyethyl methacrylat	3,39
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8
27813-02-1	Hydroxypropylmethacrylat	0,97
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1

#### BCF

CAS No	Chemical name	BCF	Species	Source
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio	OECD 305
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	47-55	Cyprinus carpio	

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Appropriate disposal / Package

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9



## Safety Data Sheet


according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 9 of 11




Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-

#### Other applicable information (land transport)

Contains: 7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecan-1,16-diylbismethacrylat

#### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9



Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9



Special Provisions:	274 335 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F

#### Other applicable information (marine transport)

Contains: 7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecan-1,16-diylbismethacrylat

Flash point: &gt; 100°C

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 10 of 11

Special Provisions: A97 A158 A197 A215  
 Limited quantity Passenger: 30 kg G  
 Passenger LQ: Y964  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 964  
 IATA-max. quantity - Passenger: 450 L  
 IATA-packing instructions - Cargo: 964  
 IATA-max. quantity - Cargo: 450 L

#### Other applicable information (air transport)

Contains: 7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecan-1,16-dylbismethacrylat

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: 7,7 -Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecan-1,16-dylbismethacrylat

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,13,14,15,16.

#### Abbreviations and acronyms

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

Repr: Reproductive toxicity

Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VITA VIONIC® TRY-IN RESIN

Revision date: 25.09.2024

Product code: 3135

Page 11 of 11

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*