Tel.: 07761/562-0

Fax: 07761/562299

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Hazardous according to criteria of Australian Safety and Compensation Council

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: VITA CERAMICS ETCH
- · Article number: FCE..
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available
- · Application of the substance / product Auxiliary for manufacture of dental prothesis
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VITA Zahnfabrik

H. Rauter GmbH & Co. KG

Postfach 1338 D 79704 Bad Säckingen e-mail: info@vita-zahnfabrik.com

• 1.4 Emergency telephone number: Tel.: ++49-(0)761-19240

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H332 Harmful if inhaled.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.



C; Corrosive

R35: Causes severe burns.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

(Contd. of page 1)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS06

- · Signal word Danger
- · Hazard-determining components of labelling:

hydrogen fluoride

· Hazard statements

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Information concerning to particular hazards to man and environment
- · Safety phrases:
- Keep away from living quarters.
- 9 Keep container in a well-ventilated place.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 26

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

- In case of accident or if you feel unwell, seek medical advice immediately (show the label where
- 60 This material and its container must be disposed of as hazardous waste.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

Dangerous components:		
CAS: 7664-93-9 EINECS: 231-639-5	sulphuric acid  ☐ C R35  ♦ Skin Corr. 1A, H314	5-<10%
CAS: 7664-39-3 EINECS: 231-634-8	hydrogen fluoride  ☐ T+ R26/27/28; ☐ C R35  ☐ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ☐ Skin Corr. 1A, H314	2.5-<5%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-4.	ethanol	2.5-<10%

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

*Immediately remove any clothing soiled by the product.* 

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation

Seek medical treatment.

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

Immediately wash with water and soap and rinse thoroughly.

· After eve contact

Call a doctor immediately.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Seek immediate medical advice.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.
- · Additional information None

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

(Contd. of page 3)

#### · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Extractor required at the object.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- $\cdot \textit{Information about storage in one common storage facility:} \textit{Store away from flammable substances}.$
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class 6.1 B
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

## 7664-39-3 hydrogen fluoride

NES | Peak limitation: 2.6 mg/m³, 3 ppm

#### 64-17-5 ethanol

NES Long-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

## · Respiratory protection:

Use ventilation hood

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

(Contd. of page 4)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

#### · Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

e.g. Dermatril P, KCL Nr. 743

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

e.g. KCL Dermatril P 480 min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles.

SECTION 9:	<b>Physical</b>	and chemical	properties
------------	-----------------	--------------	------------

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Viscous
Colour: Light red
Odour: Characteristic
Odour threshold: Not determined.

· pH-value at 20 °C:

· Change in condition

**Melting point/Melting range:** undetermined **Boiling point/Boiling range:** 100 °C

· Flash point: Not applicable

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature:

**Decomposition temperature:** Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

2

· Explosion limits:

Lower:Not determined.Upper:Not determined.

(Contd. on page 6)

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

		(Contd. of page
· Oxidising properties	None	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1.06 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	3.2 %	
Water:	82.6 %	
· 9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No decomposition if used and stored according to specifications.
- · 10.2 Chemical stability No decomposition if used and stored according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Toxic if swallowed.

Fatal in contact with skin.

Harmful if inhaled.

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

AUS

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

(Contd. of page 6)

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- European waste catalogue

  20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

  20 01 00 separately collected fractions (except 15 01)

20 01 00 separately collected fractions (except 15 01)

20 01 14\* acids

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTIO	N 14.	Transport	inform	ation
3/20/1/07	/V /4.			

- · 14.1 UN-Number
- · ADG, IMDG, IATA

UN2922

· 14.2 UN proper shipping name

ADG

UN2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROGEN FLUORIDE, SULPHURIC ACID)

· IMDG, IATA CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROGEN

FLUORIDE, SULPHURIC ACID)

- · 14.3 Transport hazard class(es)
- $\cdot ADG$





· Class 8 Corrosive substances.

(Contd. on page 8)

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

	(Contd. of pag
Label	8+6.1
IMDG	
Class	8 Corrosive substances.
Label	8/6.1
IATA	
Class	8 Corrosive substances.
Label	8 (6.1)
14.4 Packing group ADG, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	886
EMS Number:	F-A,S-B
Segregation groups	Acids
14.7 Transport in bulk according to Anne	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	Maximum net quantity per outer packaging: 300 mi 2
Tunnel restriction code	E
IMDG Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
(LQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O. (HYDROGEN FLUORIDE, SULPHURIC ACID), 8 (6.1),

## SECTION 15: Regulatory information

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

7664-93-9 sulphuric acid

(Contd. on page 9)

*S*6

Printing date 10.08.2015 Version number 2 Revision: 10.08.2015

Trade name: VITA CERAMICS ETCH

7664-39-3 hydrogen fluoride

(Contd. of page 8)

S5, S6, S7

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	3-<5

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

R11 Highly flammable.

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R35 Causes severe burns.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Met. Corr.1: Corrosive to metals, Hazard Category 1

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 1: Acute toxicity, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4
Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

· \* Data compared to the previous version altered.

AUS