

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VITA VM LC CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

| | | |
|------------------|---------------------------------------|-----------------------------|
| Company name: | VITA Zahnfabrik H.Rauter GmbH & Co.KG | |
| Post-office box: | 1338 79704 Bad Säckingen | |
| Telephone: | +49(0)7761-562-0 | Telefax: +49(0)7761-562-299 |
| e-mail: | info@vita-zahnfabrik.com | |
| Internet: | www.vita-zahnfabrik.com | |

1.4. Emergency telephone number:

+49-(0)761-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 2 of 9

Hazardous components

| CAS No | Chemical name | | | Quantity |
|---------|--|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 64-17-5 | ethyl alcohol | | | 90 - < 95 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |
| 78-93-3 | butanone; ethyl methyl ketone | | | 1 - < 5 % |
| | 201-159-0 | 606-002-00-3 | | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 3 of 9

clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Use as laboratory reagent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|---------|---|------|-------------------|---------------------|---------------|--------|
| 64-17-5 | Ethyl alcohol | 1000 | - | | STEL (15 min) | |
| 78-93-3 | Methyl ethyl ketone (MEK) (Butan-2-one) | 200 | 600 | | TWA (8 h) | |
| | | 300 | 900 | | STEL (15 min) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|---------|-------------|-------------|-----------|---------------|---------------|
| 78-93-3 | Butan-2-one | Butan-2-one | 70 µmol/L | Urine | Post shift |

8.2. Exposure controls



Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 4 of 9

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P Breakthrough time (maximum wearing time) 30 min NBR (Nitrile rubber)

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing. Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Provide adequate ventilation as well as local exhaust at critical locations. Technical ventilation of workplace

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|----------------|
| Physical state: | Liquid |
| Colour: | colourless |
| pH-Value: | not determined |

Changes in the physical state

| | |
|--|----------------|
| Melting point: | not determined |
| Initial boiling point and boiling range: | 78 °C |
| Flash point: | 13 °C |

Flammability

| | |
|--------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |

Explosive properties

The product is not: Explosive.

| | |
|-------------------------|------------|
| Lower explosion limits: | 3,5 vol. % |
| Upper explosion limits: | 15 vol. % |
| Ignition temperature: | 425 °C |

Auto-ignition temperature

| | |
|--------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |

| | |
|----------------------------|----------------|
| Decomposition temperature: | not determined |
|----------------------------|----------------|

Oxidizing properties

Not oxidising.

| | |
|--------------------------------|------------|
| Vapour pressure: (at 50 °C) | <=1100 hPa |
|--------------------------------|------------|

| | |
|----------|---------------|
| Density: | 0,80000 g/cm³ |
|----------|---------------|

Solubility in other solvents

not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 5 of 9

| | |
|------------------------------------|----------------|
| Partition coefficient: | not determined |
| Viscosity / dynamic: (at 20 °C) | 1,2 mPa·s |
| Vapour density: | not determined |
| Evaporation rate: | not determined |

9.2. Other information

| | |
|----------------|-------|
| Solid content: | 0,0 % |
|----------------|-------|

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|---------|-------------------------------|---------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 64-17-5 | ethyl alcohol | | | | |
| | dermal | LD50 mg/kg | 7060 | | |
| 78-93-3 | butanone; ethyl methyl ketone | | | | |
| | dermal | LD50 mg/kg | 5000 | | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 6 of 9

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself. Waste codes/waste designations according to EWC/AVV

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|-------------------------|
| 14.1. UN number: | UN 1170 |
| 14.2. UN proper shipping name: | ETHANOL (ETHYL ALCOHOL) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |



| | |
|--------------------------|---------|
| Classification code: | F1 |
| Special Provisions: | 144 601 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 33 |
| Tunnel restriction code: | D/E |

Inland waterways transport (ADN)

| | |
|-------------------------|---------|
| 14.1. UN number: | UN 1170 |
|-------------------------|---------|

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 7 of 9

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Classification code: F1

Special Provisions: 144 601

Limited quantity: 1 L

Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Special Provisions: 144

Limited quantity: 1 L

Excepted quantity: E2

EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1170

14.2. UN proper shipping name: ETHYL ALCOHOL

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L

Passenger LQ: Y341

Excepted quantity: E2

IATA-packing instructions - Passenger: 353

IATA-max. quantity - Passenger: 5 L

IATA-packing instructions - Cargo: 364

IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 8 of 9

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VITA VM LC CLEANER

Revision date: 13.08.2019

Product code: 265

Page 9 of 9

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)