

according to Regulation (EC) No 1907/2006

# VITA PM Einbettmasse

Revision date: 01.03.2017

Product code: 183-CLP

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

VITA PM Einbettmasse

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

# 1.3. Details of the supplier of the safety data sheet

ner Betalle er tile eupplier er tile		
Company name:	VITA Zahnfabrik H. Rauter GmbH & Co. KG	
Post-office box:	1338	
	79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax:+49(0)7761-562-299
e-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
1.4. Emergency telephone	+49-(0)761-19240	
numbor		

number:

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Specific target organ toxicity - repeated exposure: STOT RE 1 Hazard Statements: Causes damage to organs through prolonged or repeated exposure.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

Hazard components for labelling

Quarz alveolgängig

Signal word:

**Pictograms:** 



Danger

### Hazard statements

H372

Causes damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P281	Use personal protective equipment as required.
P270	Do not eat, drink or smoke when using this product.

# 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

# 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# VITA PM Einbettmasse

Revision date: 01.03.2017

Product code: 183-CLP

Page 2 of 7

# Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
14808-60-7	Quarz alveolgängig		45 - < 50 %	
	238-878-4			
	STOT SE 2, STOT RE 1; H371 H372			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

# Non-flammable.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.



according to Regulation (EC) No 1907/2006

# VITA PM Einbettmasse

Revision date: 01.03.2017

Product code: 183-CLP

Page 3 of 7

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Advice on storage compatibility

No special measures are necessary.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

Substance	ppm	mg/m³	fib/cm³	Category	Origin
Cristobalite, respirable dust (crystalline silica)	-	0.1		TWA (8 h)	
	-	-		STEL (15 min)	
Magnesium oxide, fume	-	5		TWA (8 h)	
	-	10		STEL (15 min)	
Quartz, respirable dust (crystalline silica)	-	0.1		TWA (8 h)	
	-	-		STEL (15 min)	
	Cristobalite, respirable dust (crystalline silica) Magnesium oxide, fume	Cristobalite, respirable dust (crystalline silica) - Magnesium oxide, fume	Cristobalite, respirable dust (crystalline silica)     -     0.1       Magnesium oxide, fume     -     5       10     -     10	Cristobalite, respirable dust (crystalline silica)     -     0.1       Magnesium oxide, fume     -     5       -     10	Cristobalite, respirable dust (crystalline silica)-0.1TWA (8 h)Magnesium oxide, fume-5TWA (8 h)Quartz, respirable dust (crystalline silica)-0.1STEL (15 min)TWA (8 h)-10STEL (15 min)TWA (8 h)-10TWA (8 h)

# 8.2. Exposure controls



### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Dust protection eye glasses

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the



according to Regulation (EC) No 1907/2006

# VITA PM Einbettmasse

Revision date: 01.03.2017

Product code: 183-CLP

Page 4 of 7

specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P NBR (Nitrile rubber)

# Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

Avoid generation of dust. In case of inadequate ventilation wear respiratory protection. FFP2 /FFP3 If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Powder whitish	
Odour:	characteristic	
pH-Value:		not determined
Changes in the physical state		
Melting point:		not determined
Initial boiling point and boiling range:		?
Flash point:		Х
Flammability		
Solid:		not applicable
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		not determined
Oxidizing properties Not oxidizing.		
Vapour pressure: (at 50 °C)		<=1100 hPa
Density:		2,36050 g/cm <sup>3</sup>
Water solubility:		No
Solubility in other solvents not determined		
Partition coefficient:		not determined
Vapour density:		not determined
Evaporation rate:		not determined
9.2. Other information		
Solid content:		100,0 %

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.



according to Regulation (EC) No 1907/2006

# VITA PM Einbettmasse

Revision date: 01.03.2017

Product code: 183-CLP

Page 5 of 7

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Quarz alveolgängig)

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

# Further information

Avoid release to the environment.

# **SECTION 13: Disposal considerations**



according to Regulation (EC) No 1907/2006

# VITA PM Einbettmasse

Revision date: 01.03.2017

Product code: 183-CLP

Page 6 of 7

# 13.1. Waste treatment methods

# Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# Contaminated packaging

Waste codes/waste designations according to EWC/AVV

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no 14.6. Special precautions for user No information available. 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water contaminating class (D):	1 - slightly water contaminating
15.2 Chamical safety assessment	

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No 1907/2006

# VITA PM Einbettmasse

Revision date: 01.03.2017

Product code: 183-CLP

Page 7 of 7

# **SECTION 16: Other information**

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road ) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

# Relevant H and EUH statements (number and full text)

H371 May cause damage to organs.H372 Causes damage to organs through prolonged or repeated exposure.

# **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)