

according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 1 of 8

1. Identification

Product identifier

Vita VM LC CLEANER

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Use as laboratory reagent

Details of the supplier of the safety data sheet

| VITA Zahnfabrik H. Rauter GmbH & Co. KG | |
|---|--|
| 1338 | |
| 79704 Bad Säckingen | |
| +49(0)7761-562-0 | Telefax: +49(0)7761-562-299 |
| info@vita-zahnfabrik.com | |
| www.vita-zahnfabrik.com | |
| +49-(0)761-19240 | |
| | 1338 79704 Bad Säckingen +49(0)7761-562-0 info@vita-zahnfabrik.com www.vita-zahnfabrik.com |

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Hazard categories: Flammable liquids: Flam. Liq. 2 Serious eye damage/eye irritation: Eye Irrit. 2A Hazard Statements: Highly flammable liquid and vapor Causes serious eye irritation

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:

Danger



Hazard statements

Highly flammable liquid and vapor Causes serious eye irritation

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures



according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 2 of 8

Hazardous components

| CAS No | Components | Quantity |
|---------|-------------------------------|----------|
| 64-17-5 | ethyl alcohol | 95 % |
| 78-93-3 | butanone; ethyl methyl ketone | 1 % |

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

Specific hazards arising from the chemical

Highly flammable. Vapours can form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7



according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 3 of 8

Personal protection equipment: see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters

Exposure limits

| CAS No. | Substance | ppm | mg/m³ | f/cc | Category | Origin |
|---------|----------------------------------|------|-------|------|---------------|------------|
| 78-93-3 | 2-Butanone (Methyl ethyl ketone) | 200 | 590 | | TWA (8 h) | PEL |
| 78-93-3 | 2-Butanone | 200 | 590 | | TWA (8 h) | REL |
| | | 300 | 885 | | STEL (15 min) | REL |
| 64-17-5 | Ethanol | - | _ | | TWA (8 h) | ACGIH-2016 |
| | | 1000 | | | STEL (15 min) | ACGIH-2016 |
| 64-17-5 | Ethyl alcohol (Ethanol) | 1000 | 1900 | | TWA (8 h) | PEL |
| 64-17-5 | Ethyl alcohol | 1000 | 1900 | | TWA (8 h) | REL |
| 78-93-3 | Methyl ethyl ketone | 200 | | | TWA (8 h) | ACGIH-2016 |
| | | 300 | | | STEL (15 min) | ACGIH-2016 |
| | | | | | | 1 |

Biological Exposure Indices (BEI-ACGIH)

| CAS No. | Substance | Determinant | Value | Test material | Sampling time |
|---------|---------------------|---------------------|--------|---------------|---------------|
| 78-93-3 | METHYL ETHYL KETONE | Methyl ethyl ketone | 2 mg/L | urine | End of shift |

Exposure controls





Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 4 of 8

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P Breakthrough time (maximum wearing time) 30 min NBR (Nitrile rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

Provide adequate ventilation as well as local exhaustion at critical locations. Technical ventilation of workplace

9. Physical and chemical properties

Information on basic physical and chemical properties

| | Physical state: | liquid | |
|----------|--|----------------|-------------|
| | Color: | colourless | |
| | | | Test method |
| | pH-Value: | not determined | |
| | Changes in the physical state | | |
| | Melting point/freezing point: | not determined | |
| | Initial boiling point and boiling range: | 78 °C | |
| | Flash point: | 13 °C | |
| | Flammability | | |
| | Solid: | not applicable | |
| | Gas: | not applicable | |
| | Lower explosion limits: | not determined | |
| | Upper explosion limits: | not determined | |
| | Auto-ignition temperature | | |
| | Solid: | not applicable | |
| | Gas: | not applicable | |
| | Decomposition temperature: | not determined | |
| | Oxidizing properties Not oxidizing. | | |
| | Vapor pressure: (at 50 °C) | <=1100 hPa | |
| | Density: | 0,80000 g/cm³ | |
| | Solubility in other solvents not determined | | |
| | Partition coefficient: | not determined | |
| | Vapor density: | not determined | |
| | Evaporation rate: | not determined | |
| <u>o</u> | ther information | | |
| | | | |



according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 5 of 8

Solid content:

0,0 %

10. Stability and reactivity

Reactivity

Highly flammable.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Components | | | | | |
|---------|-----------------------------------|---------------|------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 64-17-5 | 5 ethyl alcohol | | | | | |
| | dermal | LD50 mg/kg | 7060 | | | |
| 78-93-3 | 3-3 butanone; ethyl methyl ketone | | | | | |
| | dermal | LD50 mg/kg | 5000 | | | |

Irritation and corrosivity

Causes serious eye irritation

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

- Carcinogenicity (OSHA):No ingredient of this mixture is listed.Carcinogenicity (IARC):Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.
- Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 6 of 8

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Avoid release to the environment.

13. Disposal considerations

Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Handle contaminated packages in the same way as the substance itself. Waste codes/waste designations according to EWC/AVV

14. Transport information

Marine transport (IMDG)

| ······································ | |
|--|-------------------------|
| <u>UN number:</u> | UN 1170 |
| UN proper shipping name: | ETHANOL (ETHYL ALCOHOL) |
| <u>Transport hazard class(es):</u> | 3 |
| Packing group: | II |
| Hazard label: | 3 |
| | |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| EmS: | F-E, S-D |
| Air transport (ICAO-TI/IATA-DGR) | |
| <u>UN number:</u> | UN 1170 |
| UN proper shipping name: | ETHANOL (ETHYL ALCOHOL) |
| <u>Transport hazard class(es):</u> | 3 |
| Packing group: | II |
| Hazard label: | 3 |
| | |



according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 7 of 8

| | 3 | |
|--|------|------|
| Limited quantity Passenger: | 1 L | |
| Passenger LQ: | Y341 | |
| Excepted quantity: | E2 | |
| IATA-packing instructions - Passenger: | | 353 |
| IATA-max. quantity - Passenger: | | 5 L |
| IATA-packing instructions - Cargo: | | 364 |
| IATA-max. quantity - Cargo: | | 60 L |
| | | |

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

Warning: Combustible liquid.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

U.S. Regulations

National regulatory information

SARA Section 304 CERCLA: Methyl ethyl ketone (78-93-3): Reportable quantity = 5,000 (2270) lbs. (kg) SARA Section 311/312 Hazards: ethyl alcohol (64-17-5): Fire hazard, Immediate (acute) health hazard Methyl ethyl ketone (78-93-3): Fire hazard, Immediate (acute) health hazard Clean Air Act Section 112(b): Methyl ethyl ketone (78-93-3)

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

| Revision date: | 03.03.2017 |
|----------------|------------|
| Revision No: | 1 |

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Other data

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for



according to 29 CFR 1910.1200(g)

Vita VM LC CLEANER

Revision date: 03.03.2017

Product code: 265-US

Page 8 of 8

adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)