

### VITAVM LC PAINT

Revision date: 23.02.2017

Product code: 162-CN

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

VITAVM LC PAINT

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent

### 1.3. Details of the supplier of the safety data sheet

Company name: VITA Zahnfabrik H. Rauter GmbH &amp; Co. KG

Post-office box: 1338

79704 Bad Säckingen

Telephone: +49(0)7761-562-0

Telefax: +49(0)7761-562-299

e-mail: info@vita-zahnfabrik.com

Internet: www.vita-zahnfabrik.com

### 1.4. Emergency telephone

+49-(0)761-19240

#### number:

#### Further Information

medical device

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB 3000-2013

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2A

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### GB 3000-2013

#### Hazard components for labelling

triethylene glycol dimethacrylate

Signal word: Warning

#### Pictograms:



#### Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

## Safety Data Sheet

### VITAVM LC PAINT

Revision date: 23.02.2017

Product code: 162-CN

Page 2 of 7

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
72869-86-4	7,7,9-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecan-1,16-diol-dimethacrylat (mixture of isomers)	40 - < 45 %
	Aquatic Chronic 3; H412	
109-16-0	triethylene glycol dimethacrylate	15 - < 20 %
	01-2119969287-21	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335	
2867-47-2	2-dimethylaminoethyl methacrylate	< 1 %
	220-688-8	
	607-132-00-3	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H302 H312 H315 H319 H317	

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### **After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

##### **After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap.

##### **After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

##### **After ingestion**

Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

### VITAVM LC PAINT

Revision date: 23.02.2017

Product code: 162-CN

Page 3 of 7

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable.

#### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

No special measures are necessary.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

##### **Advice on storage compatibility**

No special measures are necessary.

#### **7.3. Specific end use(s)**

Use as laboratory reagent

### SECTION 8: Exposure controls/personal protection

#### **8.1. Control parameters**

#### **8.2. Exposure controls**



#### **Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

### VITAVM LC PAINT

Revision date: 23.02.2017

Product code: 162-CN

Page 4 of 7

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Camatril Velour Breakthrough time (maximum wearing time) 30 min NBR (Nitrile rubber)

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Provide adequate ventilation as well as local exhaust at critical locations. Technical ventilation of workplace

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour: characteristic

pH-Value:

not determined

#### Changes in the physical state

Melting point:

not determined

Initial boiling point and boiling range:

X

Flash point:

X

#### Flammability

Solid:

not applicable

Gas:

not applicable

Lower explosion limits:

not determined

Upper explosion limits:

not determined

#### Auto-ignition temperature

Solid:

not applicable

Gas:

not applicable

Decomposition temperature:

not determined

#### Oxidizing properties

Not oxidizing.

Vapour pressure:  
(at 50 °C)

<=1100 hPa

Density:

not determined

Water solubility:

No

#### Solubility in other solvents

not determined

Partition coefficient:

not determined

Vapour density:

not determined

## Safety Data Sheet

### VITAVM LC PAINT

Revision date: 23.02.2017

Product code: 162-CN

Page 5 of 7

Evaporation rate: not determined

#### 9.2. Other information

Solid content: 1,10 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2867-47-2	2-dimethylaminoethyl methacrylate				
	oral	ATE mg/kg	500		
	dermal	ATE mg/kg	1100		

##### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

##### Sensitising effects

May cause an allergic skin reaction. (triethylene glycol dimethacrylate; 2-dimethylaminoethyl methacrylate)

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

### VITAVM LC PAINT

Revision date: 23.02.2017

Product code: 162-CN

Page 6 of 7

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

##### 12.2. Persistence and degradability

The product has not been tested.

##### 12.3. Bioaccumulative potential

The product has not been tested.

##### 12.4. Mobility in soil

The product has not been tested.

##### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

##### 12.6. Other adverse effects

No information available.

##### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### **Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

###### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

#### SECTION 14: Transport information

##### **Land transport (ADR/RID)**

###### 14.1. UN number:

No dangerous good in sense of this transport regulation.

###### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

###### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

##### **Inland waterways transport (ADN)**

###### 14.1. UN number:

No dangerous good in sense of this transport regulation.

###### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

###### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

##### **Marine transport (IMDG)**

###### 14.1. UN number:

No dangerous good in sense of this transport regulation.

###### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

###### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

##### **Air transport (ICAO-TI/IATA-DGR)**

###### 14.1. UN number:

No dangerous good in sense of this transport regulation.

###### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

###### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### VITAVM LC PAINT

Revision date: 23.02.2017

Product code: 162-CN

Page 7 of 7

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D):	3 - highly water contaminating
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*