

according to UK REACH Regulation

# **VITA TITANKERAMIK Paste Bonder**

Revision date: 15.08.2023

Product code: 105

Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

VITA TITANKERAMIK Paste Bonder

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

### 1.3. Details of the supplier of the safety data sheet

1.5. Details of the supplier of the	Salety data Sheet	
Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax: +49(0)7761-562-299
E-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
E-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	

# **Further Information**

medical device

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

### GB CLP Regulation

EUH208

EUH210

### Special labelling of certain mixtures

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. Safety data sheet available on request.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Chemical characterization**

Mixtures Substance, organic Product/Substance is inorganic.



according to UK REACH Regulation

# VITA TITANKERAMIK Paste Bonder

Revision date: 15.08.2023

Product code: 105

Page 2 of 9

### Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Co	onc. Limits, M-factors and ATE	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %
	= 50 mg/kg 0.06 - < 0.6 H317: >= 0 Aquatic Ac	ATE = 0.5 mg/l (vapours); inhalation: ATE = 0.05 mg/l (dusts or mists); dermal: ATE ; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0.6 - 100 Skin Irrit. 2; H315: >= 6 Eye Dam. 1; H318: >= 0.6 - 100 Eye Irrit. 2; H319: >= 0.06 - < 0.6 Skin Sens. 1A; .0015 - 100 ute 1; H400: M=100 ronic 1; H410: M=100	

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

## No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

### Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

# Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



according to UK REACH Regulation

# **VITA TITANKERAMIK Paste Bonder**

Revision date: 15.08.2023

Product code: 105

Page 3 of 9

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Use as laboratory reagent

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL

## 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment



according to UK REACH Regulation

# **VITA TITANKERAMIK Paste Bonder**

Revision date: 15.08.2023

Product code: 105

Page 4 of 9

# Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. NBR (Nitrile rubber) Recommended glove articles KCL Dermatril P

#### Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Provide adequate ventilation as well as local exhaustion at critical locations. Technical ventilation of workplace

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:		
Odour:	characteristic	
Melting point/freezing point:	not deter	mined
Boiling point or initial boiling point and		207 °C
boiling range:	Z.	.07 0
Flammability:	not deter	mined
	not appl	
Lower explosion limits:	not deter	
Upper explosion limits:	not deter	mined
Flash point:	1	09 °C
Decomposition temperature:	not deter	mined
pH-Value:	not deter	mined
' Water solubility:		No
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not deter	mined
Vapour pressure:	<=110	0 hPa
(at 50 °C)		
Density:	not deter	
Relative vapour density:	not deter	mined
9.2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
The product is not: Explosive.		
Self-ignition temperature		
Solid:	not deter	
Gas: Oxidizing properties	not appl	Icaple
Not oxidising.		
·		
Other safety characteristics		. ,
Evaporation rate:	not deter	
Solid content:	6	60,3 %



according to UK REACH Regulation

# VITA TITANKERAMIK Paste Bonder

Revision date: 15.08.2023

Product code: 105

Page 5 of 9

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

# Acute toxicity

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	oral	ATE í mg/kg	100				
	dermal	ATE 5	50 mg/kg				
	inhalation vapour	ATE (	).5 mg/l				
	inhalation dust/mist	ATE (	0.05 mg/l				

## Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

# 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.



according to UK REACH Regulation

# VITA TITANKERAMIK Paste Bonder

Revision date: 15.08.2023

Product code: 105

Page 6 of 9

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

# **Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations** 

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Waste codes/waste designations according to EWC/AVV

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Waste codes/waste designations according to EWC/AVV

### **SECTION 14: Transport information**

14.1. UN number or ID number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

Inland waterways transport (ADN)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

#### Land transport (ADR/RID)

14.4. Packing group:

14.4. Packing group:

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

Marine transport (IMDG)

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

# 14.4. Packing group: 14.5. Environmental hazards

#### ENVIRONMENTALLY HAZARDOUS:

# 14.6. Special precautions for user

# No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No



according to UK REACH Regulation

VITA TITANKERAMIK Paste Bonder				
Revision date: 15.08.2023	Product code: 105	Page 7 of 9		
EU regulatory information Restrictions on use (REACH, annex XVII):				
Entry 75				
2004/42/EC (VOC):	0,015 %			
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)			
National regulatory information				
Water hazard class (D):	1 - slightly hazardous to water			
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.			
15.2. Chemical safety assessment Chemical safety assessments for subs	tances in this mixture were not carried out.			

# **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1.



according to UK REACH Regulation

# VITA TITANKERAMIK Paste Bonder

Revision date: 15.08.2023

Product code: 105

Page 8 of 9

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard Relevant H and EUH statements (number and full text) Toxic if swallowed. H301 H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.



# according to UK REACH Regulation

# **VITA TITANKERAMIK Paste Bonder**

Revision date: 15.08.2023	Product code: 105	Page 9 of 9
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	
	2H-isothiazol-3-one (3:1). May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Further Information		

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)