

according to Regulation (EC) No 1907/2006

VITA CEREC Propellant

Revision date: 08.02.2017

Product code: 084-CLP

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VITA CEREC Propellant

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Auxilary for manufacture of dental products

1.3. Details of the supplier of the safety data sheet

| VITA Zahnfabrik H. Rauter GmbH & Co. KG | |
|---|---|
| 1338 | |
| 79704 Bad Säckingen | |
| +49(0)7761-562-0 | Telefax: +49(0)7761-562-299 |
| info@vita-zahnfabrik.com | |
| www.vita-zahnfabrik.com | |
| +49-(0)761-19240 | |
| | |
| | VITA Zahnfabrik H. Rauter GmbH & Co. KG 1338 79704 Bad Säckingen +49(0)7761-562-0 info@vita-zahnfabrik.com www.vita-zahnfabrik.com |

Further Information

medical device

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable gas: Flam. Gas 1 Hazard Statements: Extremely flammable gas.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Danger

Hazard statements

| H222 | Extremely flammable aerosol. |
|------|---|
| H229 | Pressurised container: May burst if heated. |

Precautionary statements

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No |
|-----------|---|
| | smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances



according to Regulation (EC) No 1907/2006

VITA CEREC Propellant

Revision date: 08.02.2017

Product code: 084-CLP

Page 2 of 7

SECTION 4: First aid measures

4.1. Description of first aid measures

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Extremely flammable liquid and vapour. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

VITA CEREC Propellant

Revision date: 08.02.2017

Product code: 084-CLP

Page 3 of 7

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P NBR (Nitrile rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

Open windows to ensure natural ventilation. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: Colour: | Aerosol colourless | not determined |
|--|-----------------------|----------------|
| pH-Value: | | not determined |
| Changes in the physical state | | |
| Melting point: | | not determined |
| Initial boiling point and boiling range: | | -11 °C |
| Flash point: | | -60 °C |
| Flammability | | |
| Solid: | | not applicable |
| Gas: | | not applicable |
| Lower explosion limits: | | 1,8 vol. % |
| Upper explosion limits: | | 8,5 vol. % |
| Ignition temperature: | | 460 °C |
| Auto-ignition temperature Solid: | | not applicable |



according to Regulation (EC) No 1907/2006

| VITA CEREC Propellant | | |
|--|-----------------------|-------------|
| Revision date: 08.02.2017 | Product code: 084-CLP | Page 4 of 7 |
| Gas: | not applicable | |
| Decomposition temperature: | not determined | |
| Oxidizing properties Not oxidizing. | | |
| Vapour pressure: (at 50 °C) | <=1100 hPa | |
| Density: | 0,58000 g/cm³ | |
| Water solubility: | No | |
| Solubility in other solvents not determined | | |
| Partition coefficient: | not determined | |
| Vapour density: | not determined | |
| Evaporation rate: | not determined | |
| 9.2. Other information | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable liquid and vapour.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

VITA CEREC Propellant

Revision date: 08.02.2017

Product code: 084-CLP

Page 5 of 7

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. Appropriate disposal / Product This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number:</u> | UN 1950 |
|---|--------------------------|
| 14.2. UN proper shipping name: | UN1950 DRUCKGASPACKUNGEN |
| 14.3. Transport hazard class(es): | 2 |
| 14.4. Packing group: | - |
| Hazard label: | 2.1 |
| | |
| Classification code: | 5F |
| Limited quantity: | 1L |
| Transport category: | 2 |
| Hazard No: | 23 |
| Tunnel restriction code: | D |
| Other applicable information (land transp E0 | port) |
| Inland waterways transport (ADN) | |
| <u>14.1. UN number:</u> | UN 1950 |
| 14.2. UN proper shipping name: | UN1950 DRUCKGASPACKUNGEN |
| 14.3. Transport hazard class(es): | 2 |
| 14.4. Packing group: | - |
| | |



according to Regulation (EC) No 1907/2006

| Revision date: 08.02.2017 | VITA CEREC Propellant Product code: 084-CLP | Page 6 of 7 |
|--|--|-------------|
| | | |
| Hazard label: | 2.1 | |
| | | |
| | 2 | |
| Classification code: | 5F | |
| Limited quantity: | 1L | |
| Other applicable information (inland wa E0 | iterways transport) | |
| Marine transport (IMDG) | | |
| <u>14.1. UN number:</u> | UN 1950 | |
| 14.2. UN proper shipping name: | AEROSOLS | |
| 14.3. Transport hazard class(es): | 2.1 | |
| 14.4. Packing group: Hazard label: | - | |
| Hazard label: | 2.1 | |
| | | |
| | 2 | |
| Marine pollutant: | Nein | |
| EmS: | F-D,S-U | |
| Air transport (ICAO-TI/IATA-DGR) | | |
| <u>14.1. UN number:</u> | UN 1950 | |
| 14.2. UN proper shipping name: | Aerosols, flammable | |
| 14.3. Transport hazard class(es): | 2.1 | |
| <u>14.4. Packing group:</u> Hazard label: | - 2.1 | |
| | 2.1 | |
| | | |
| | 2 | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | no | |
| 14.6. Special precautions for user Warning: Flammable gases. | | |
| 14.7. Transport in bulk according to Annex | II of Marnol and the IBC Code | |
| not applicable | | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental regu | ulations/legislation specific for the substance or mixture | |
| EU regulatory information | | |
| Restrictions on use (REACH, annex XVII) Entry 28: isobutane |): | |
| National regulatory information | | |
| Employment restrictions: | Observe restrictions to employment for juvenils according to the 'juvenile | 9 |
| Water contaminating class (D): | work protection guideline' (94/33/EC). not water contaminating | |
| | not water containinating | |
| 15.2. Chemical safety assessment For this substance a chemical safety a | assessment has not been carried out | |
| i or the substance a chemical salety | | |



according to Regulation (EC) No 1907/2006

VITA CEREC Propellant

Revision date: 08.02.2017

Product code: 084-CLP

Page 7 of 7

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

| H222 | Extremely flammable aerosol. |
|------|---|
| H229 | Pressurised container: May burst if heated. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.