

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VITA Powder Scan Spray**

Revision date: 21.12.2016

Product code: 311-CLP

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

VITA Powder Scan Spray

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Use as laboratory reagent

**1.3. Details of the supplier of the safety data sheet**

Company name: PRISMAN GmbH  
Street: Otto-Hahn-Ring 6-18  
Place: 64653 Lorsch  
Telephone: ++49 (0) 6251 866980-0  
e-mail (Contact person): Metz@prisman.de  
Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** ++49 (0) 6251 866980-0**number:****Further Information**

medical device

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard Statements:

Pressurised container: May burst if heated.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard statements**

H229 Pressurised container: May burst if heated.

**Precautionary statements**

P412 Do not expose to temperatures exceeding 50 °C/122 °F.  
P410 Protect from sunlight.  
P251 Do not pierce or burn, even after use.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## VITA Powder Scan Spray

Revision date: 21.12.2016

Product code: 311-CLP

Page 2 of 8

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
109-66-0	pentane			5 - < 10 %
	203-692-4	601-006-00-1		
	Flam. Liq. 2, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2; H225 H304 H336 H411 EUH066			
64-17-5	ethanol; ethyl alcohol			1 - < 5 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Heating causes rise in pressure with risk of bursting. Hydrogen fluoride

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

### 6.3. Methods and material for containment and cleaning up

Ventilate affected area.

### 6.4. Reference to other sections

Safe handling: see section 7

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## VITA Powder Scan Spray

Revision date: 21.12.2016

Product code: 311-CLP

Page 3 of 8

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Further information on handling

Heating causes rise in pressure with risk of bursting. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	
109-66-0	n-Pentane	1000	3000		TWA (8 h)	
		750	2250		STEL (15 min)	

### 8.2. Exposure controls



#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Recommended glove articles KCL Dermatrill P NBR (Nitrile rubber) Butyl caoutchouc (butyl rubber) When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Technical ventilation of workplace Open windows to ensure natural ventilation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VITA Powder Scan Spray**

Revision date: 21.12.2016

Product code: 311-CLP

Page 4 of 8

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	gaseous
Colour:	
Odour:	characteristic
pH-Value:	not determined

**Changes in the physical state**

Melting point:	not determined
Initial boiling point and boiling range:	-16 °C
Flash point:	nicht entflammbar

**Flammability**

Solid:	not applicable
Gas:	not determined

Lower explosion limits:	not determined
Upper explosion limits:	not determined

**Auto-ignition temperature**

Solid:	not applicable
Gas:	not determined

Decomposition temperature:	not determined
----------------------------	----------------

**Oxidizing properties**

Not oxidising.

Vapour pressure: (at 20 °C)	5200 hPa
--------------------------------	----------

Density:	1,30000 g/cm³
----------	---------------

Water solubility:	No
-------------------	----

**Solubility in other solvents**

not determined

Partition coefficient:	not determined
------------------------	----------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

Solvent content:	11,40 %
------------------	---------

**9.2. Other information**

Solid content:	6,1 %
----------------	-------

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

none

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## VITA Powder Scan Spray

Revision date: 21.12.2016

Product code: 311-CLP

Page 5 of 8

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
109-66-0	pentane					
	inhalation (4 h) vapour	LC50 364 mg/l	Rat	GESTIS		
64-17-5	ethanol; ethyl alcohol					
	oral	LD50 6200 mg/kg	Rat	IUCLID		
	inhalation (4 h) vapour	LC50 95,6 mg/l	Rat	RTECS		

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
109-66-0	pentane					
	Acute crustacea toxicity	EC50 9,74 mg/l	48 h	Daphnia magna	IUCLID	
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## VITA Powder Scan Spray

Revision date: 21.12.2016

Product code: 311-CLP

Page 6 of 8

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
109-66-0	pentane	3,39
64-17-5	ethanol; ethyl alcohol	-0,31

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Appropriate disposal / Package Waste requires monitoring. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Waste requires monitoring. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	UN1950 DRUCKGASPACKUNGEN
<b>14.3. Transport hazard class(es):</b>	2.2
<b>14.4. Packing group:</b>	-
Hazard label:	2.2



Classification code:	5A
Limited quantity:	1L
Transport category:	3
Hazard No:	-
Tunnel restriction code:	E

#### Other applicable information (land transport)

E0

### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	UN1950 DRUCKGASPACKUNGEN
<b>14.3. Transport hazard class(es):</b>	2.2
<b>14.4. Packing group:</b>	-
Hazard label:	2.2

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## VITA Powder Scan Spray

Revision date: 21.12.2016

Product code: 311-CLP

Page 7 of 8



Classification code: 5A

Limited quantity: 1L

**Other applicable information (inland waterways transport)**

E0

**Marine transport (IMDG)****14.1. UN number:** UN 1950**14.2. UN proper shipping name:** AEROSOLS**14.3. Transport hazard class(es):** 2.2**14.4. Packing group:** -

Hazard label: 2.2



Marine pollutant: Nein

EmS: F-D,S-U

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number:** UN 1950**14.2. UN proper shipping name:** Aerosols, non-flammable**14.3. Transport hazard class(es):** 2.2**14.4. Packing group:** -

Hazard label: 2.2

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 11,4 % (148,2 g/l)

2004/42/EC (VOC): 11,4 % (148,2 g/l)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VITA Powder Scan Spray**

Revision date: 21.12.2016

Product code: 311-CLP

Page 8 of 8

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road )  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*