

according to 29 CFR 1910.1200(g)

## VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 1 of 8

### 1. Identification

### Product identifier

VITA VM OPAQUE FLUID

## Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Use as laboratory reagent

## Details of the supplier of the safety data sheet

Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
1 2		
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax: +49(0)7761-562-299
e-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
e-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	
Emergency phone number:	+49-(0)761-19240	

# Further Information

medical device

### 2. Hazard(s) identification

### **Classification of the chemical**

# 29 CFR Part 1910.1200

Skin corrosion/irritation: Skin Corr. 1 Serious eye damage/eye irritation: Eye Dam. 1

## Label elements

29 CFR Part 1910.1200

Signal word:

**Pictograms:** 



Danger

## **Hazard statements**

Causes severe skin burns and eye damage

### **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Hazards not otherwise classified

No information available.

## 3. Composition/information on ingredients



according to 29 CFR 1910.1200(g)

**VITA VM OPAQUE FLUID** 

Revision date: 17.01.2023

Product code: 168

Page 2 of 8

## **Mixtures**

#### Hazardous components

CAS No	Components	Quantity
64-17-5	ethyl alcohol	3 %
7790-69-4	Lithium nitrate	0.32 %

### 4. First-aid measures

## **Description of first aid measures**

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### Most important symptoms and effects, both acute and delayed

No information available.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

## Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Specific hazards arising from the chemical

Non-flammable.

### Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### Environmental precautions

Do not allow to enter into surface water or drains.



according to 29 CFR 1910.1200(g)

## VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 3 of 8

## Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

## 7. Handling and storage

## Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

No special measures are necessary.

### 8. Exposure controls/personal protection

#### Control parameters

## Exposure limits

CAS No	Substance	ppm	mg/m³	f/cc	Category	Origin
64-17-5	Ethyl alcohol (Ethanol)	1000	1900		TWA (8 h)	PEL
64-17-5	Ethyl alcohol	1000	1900		TWA (8 h)	REL
1310-73-2	Sodium hydroxide	-	2		TWA (8 h)	PEL
		-	C 2		Ceiling	REL

#### Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

## Individual protection measures, such as personal protective equipment



according to 29 CFR 1910.1200(g)

# VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 4 of 8

## Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P Breakthrough time: 480 NBR (Nitrile rubber)

### Skin protection

Use of protective clothing.

#### Respiratory protection

Provide adequate ventilation as well as local exhaustion at critical locations. Technical ventilation of workplace

## 9. Physical and chemical properties

# Information on basic physical and chemical properties

Information on basic physical and chemica	al properties	
Physical state:	Liquid	
Color:	colorless	
Odor:	characteristic	
Changes in the physical state		
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flash point:		not determined
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Explosive properties The product is not: Explosive.		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		not determined
pH-Value:		12,7
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:		not determined
Vapor pressure: (at 50 °C)		<=1100 hPa
Density:		1,00000 g/cm³
Relative vapour density:		not determined
Other information		

#### .

Information with regard to physical hazard classes



according to 29 CFR 1910.1200(g)

	VITA VM OPAQUE FLUID	
Revision date: 17.01.2023	Product code: 168	Page 5 of 8
Oxidizing properties Not oxidising.		
Other safety characteristics		
Solid content:	0,0 %	
Evaporation rate:	not determined	
Further Information		
10. Stability and reactivity		

## Possibility of hazardous reactions.

## **Chemical stability**

The product is stable under storage at normal ambient temperatures.

#### Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

### **Conditions to avoid**

none

### Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

#### Hazardous decomposition products

No known hazardous decomposition products.

## 11. Toxicological information

#### Information on toxicological effects

## Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethyl alcohol				
		LD50 7060 mg/kg			

#### Irritation and corrosivity

Causes severe skin burns and eye damage

Causes serious eye damage

## Sensitizing effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

### Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC): Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.

# Aspiration hazard

Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

## VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 6 of 8

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## 12. Ecological information

## **Ecotoxicity**

The product is not: Ecotoxic.

# Persistence and degradability

The product has not been tested.

## **Bioaccumulative potential**

The product has not been tested.

#### Mobility in soil

The product has not been tested.

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

## 13. Disposal considerations

## Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## 14. Transport information

## Marine transport (IMDG)

<u>UN number or ID number:</u>	UN 1824
UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
<u>Transport hazard class(es):</u>	8
Packing group:	111
Hazard label:	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	18 - alkalis
Air transport (ICAO-TI/IATA-DGR)	
UN number or ID number:	UN 1824
UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
<u>Transport hazard class(es):</u>	8
Packing group:	111
Hazard label:	8



# according to 29 CFR 1910.1200(g)

## VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

<u>ش</u>ر

Page 7 of 8

	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:		852
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		856
IATA-max. quantity - Cargo:		60 L

## Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### Special precautions for user

Warning: strongly corrosive.

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## 15. Regulatory information

## U.S. Regulations

## National regulatory information

SARA Section 304 CERCLA:

Sodium hydroxide (1310-73-2): Reportable quantity = 1,000 (454) lbs. (kg) SARA Section 311/312 Hazards: ethyl alcohol (64-17-5): Fire hazard, Immediate (acute) health hazard Sodium hydroxide (1310-73-2): Immediate (acute) health hazard Lithium nitrate (7790-69-4): Fire hazard

# State Regulations

## Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### 16. Other information

#### Changes

Revision date:

Revision No:

4

This data sheet contains changes from the previous version in section(s): 14.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to 29 CFR 1910.1200(g)

## VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 8 of 8

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Other data The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

data sheet.)

adhering to existing laws and regulations.