

according to UK REACH Regulation

VITA FIRING PASTE

Revision date: 21.01.2020

Product code: 276

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VITA FIRING PASTE	
CAS No:	-
Index No:	650-017-00-8
EC No:	-
UFI:	VV00-70P2-1006-FDGP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Auxilary for manufacture of dental products

1.3. Details of the supplier of the safety data sheet

Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax: +49(0)7761-562-299
e-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
e-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	
1.4. Emergency telephone	+49-(0)761-19240	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Carc. 1B; H350i

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling Aluminosilicate fibre, dioxosilane

Signal word:

Pictograms:

Danger



Hazard statements

ŀ	1315
ŀ	1350i

Causes skin irritation. May cause cancer by inhalation.

Precautionary statements

P202

Do not handle until all safety precautions have been read and understood.



according to UK REACH Regulation

VITA FIRING PASTE

- 1	
- 1	Revision date: 21.01.2020
- 1	

Product code: 276

Page 2 of 8

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
142844-00-6	Aluminosilicate fibre, dioxosilane		20 - < 25 %	
	604-314-4		01-2119458050-50	
	Carc. 1B, Skin Irrit. 2; H350i H315			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet.



according to UK REACH Regulation

VITA FIRING PASTE

Revision date: 21.01.2020

Product code: 276

Page 3 of 8

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Auxilary for manufacture of dental products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
	Refractory ceramic fibres and special purpose fibres, total inhalable dust	-	5		TWA (8 h)	WEL

8.2. Exposure controls



according to UK REACH Regulation

VITA FIRING PASTE Product code: 276

Revision date: 21.01.2020



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P NBR (Nitrile rubber) Breakthrough time: 480 min

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Avoid dust formation. Dust must be exhausted directly at the point of origin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:		
Colour:	white	
Odour:	none	
Changes in the physical state		
Melting point/freezing point:		1752 °C
Boiling point or initial boiling point and boiling range:		?
Flash point:		?
Flammability Solid/liquid: Gas:		not determined not applicable
Explosive properties The product is not: Explosive.		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Self-ignition temperature		
Solid:		not determined
Gas:		not applicable not determined
Decomposition temperature:		
pH-Value:		not determined
Water solubility:		No

Page 4 of 8



according to UK REACH Regulation

VITA FIRING PASTE		
Revision date: 21.01.2020	Product code: 276	Page 5 of 8
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 50 °C)	<=1100 hPa	
Density:	2,5-2,72 g/cm ³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard classe	S	
Oxidizing properties Not oxidising.		
Other safety characteristics		
Solid content:	50 %	
Evaporation rate:	not determined	
Further Information		
SECTION 10: Stability and reactivity		

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (Aluminosilicate fibre, dioxosilane) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

VITA FIRING PASTE

Revision date: 21.01.2020

Product code: 276

Page 6 of 8

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself. Dampen dust and place it in a properly closed receptacle and dispose of it safely.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

SECTION 14: Transport information

Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Revision No: 3 - Replaces version: 2



according to UK REACH Regulation

VITA FIRING PASTE

Product code: 276

Page 7 of 8

Revision date: 21.01.2020 Marine transport (IMDG)

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

14.4. Packing group:

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments not applicable

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

EU regulatory information

	EU regulatory information	
	Authorisations (REACH, annex XIV):	
	Substances of very high concern, SVHC	C (REACH, article 59):
	Aluminosilicate fibre, dioxosilane	
	Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)
	(SEVESO III):	
	National regulatory information	
	Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
	Water hazard class (D):	3 - highly hazardous to water
_		

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,6,7,8,9,11.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%



according to UK REACH Regulation

VITA FIRING PASTE

Revision date: 21.01.2020

Product code: 276

Page 8 of 8

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Carc. 1B; H350i	Calculation method

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation. H350i

May cause cancer by inhalation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)