

according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID

Revision date: 10.07.2023

Product code: 001

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VITA OPAQUE FLUID

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

1.5. Details of the supplier of the	Salety data Sileet	
Company name:	VITA Zahnfabrik H.Rauter GmbH & Co.KG	
Street:	Spitalgasse 3	
Place:	D-79713 Bad Säckingen	
Post-office box:	1338	
	D-79704 Bad Säckingen	
Telephone:	+49(0)7761-562-0	Telefax: +49(0)7761-562-299
E-mail:	info@vita-zahnfabrik.com	
Contact person:	regulatory affairs	
E-mail:	info@vita-zahnfabrik.com	
Internet:	www.vita-zahnfabrik.com	
Responsible Department:	Regulatory Affairs	

Further Information

medical device

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

ethyl alcohol

sodium hydroxide; caustic soda nal word: Danger

Signal word:

Pictograms:



Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

P260Do not breathe dust/fume/gas/mist/vapours/spray.P264Wash ... thoroughly after handling.P280Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.



according to Regulation (EC) No 1907/2006

	VITA OPAQUE FLUID	
Revision date: 10.07.2023	Product code: 001	Page 2 of 10
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P321	Specific treatment (see on this label).	
2.3. Other hazards		

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)		
64-17-5	ethyl alcohol			1 - < 5 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225	H319		
1310-73-2	sodium hydroxide; caustic sod	la		< 1 %
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314	·		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	ethyl alcohol	1 - < 5 %
dermal: LD50 = 7060 mg/kg			
1310-73-2	215-185-5	sodium hydroxide; caustic soda	< 1 %
	Skin Corr. 1A; H Eye Irrit. 2; H31	l314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0.5 - < 2 9: >= 0.5 - < 2	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.



according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID

Revision date: 10.07.2023

Product code: 001

Page 3 of 10

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.



Page 4 of 10

according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID Product code: 001

Revision date: 10.07.2023

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Use as laboratory reagent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL, Dermatril P NBR (Nitrile rubber) Breakthrough time: 480 min

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Technical ventilation of workplace Open windows to ensure natural ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid colourless	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Decomposition temperature:		not determined
pH-Value:		12,7
Solubility in other solvents		



according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID		
Revision date: 10.07.2023	Product code: 001	Page 5 of 10
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	<=1100 hPa	
(at 50 °C)		
Density:	1,00000 g/cm³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard class	es	
Explosive properties		
The product is not: Explosive.		
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
	0,4 %	

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No Chemical name Exposure route Dose Species Source Method 64-17-5 ethyl alcohol 64-17-5 ethyl alcohol LD50 7060 Image: Registration of the section o



according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID

Revision date: 10.07.2023

Product code: 001

Page 6 of 10

Irritation and corrosivity Causes severe skin burns and eye damage. (On basis of test data) Causes serious eye damage. (On basis of test data)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 1824



according to Regulation (EC) No 1907/2006

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C5Limited quantity:1 LExcepted quantity:1 LExcepted quantity:2Transport category:2Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 1414.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LExcepted quantity:5 LMarine transport (IMDG)14.1. UN number or ID number:UN 14	Product code: 001 Page 7 of IUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C5Limited quantity:1LExcepted quantity:12Transport category:2Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LMarine transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 L<	824
14.4. Packing group:IIHazard label:8Classification code:C5Limited quantity:1 LExcepted quantity:1 LExcepted quantity:2Hazard No:80Tunnel restriction code:80Tunnel restriction code:Enland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LMarine transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 L	
Hazard label:8Hazard label:Classification code:C5Limited quantity:1 LExcepted quantity:E2Transport category:2Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 L14.3. Transport hazard class(es):814.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LEmS:F-A, SSegregation group:18 - a	
Classification code:C5Limited quantity:1 LExcepted quantity:E2Transport category:2Hazard No:80Tunnel restriction code:EIland waterways transport (ADN)14.1. UN number or ID number:UN 1314.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:E1Excepted quantity:E1Iarine transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LExcepted quantity:E1Excepted quantit	
Limited quantity:1 LExcepted quantity:E2Transport category:2Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LImite transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LExc	
Limited quantity:1 LExcepted quantity:E2Transport category:2Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LImite transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LExc	
Limited quantity:1 LExcepted quantity:E2Transport category:2Hazard No:80Tunnel restriction code:EInland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LImite transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LExc	
Excepted quantity:E2Transport category:2Hazard No:80Tunnel restriction code:Enland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LIt. UN number or ID number:UN 12It. UN number or ID number:UN 1314.2. UN proper shipping name:SODI14.3. Transport (IMDG)UN 1314.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LEmS:F-A, SSegregation group:18 - a	
Transport category:2Hazard No:80Tunnel restriction code:EIland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 L14.3. Transport hazard class(es):814.1. UN number or ID number:UN 11Iarine transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LExcepted quantity:5 LExcepted quantity:5 LExcepted quantity:5 LExcepted quantity:5 LEmS:F-A, SSegregation group:18 - a	
Hazard No:80Tunnel restriction code:EIland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LIarine transport (IMDG)UN 1114.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 L <td></td>	
Tunnel restriction code:EIland waterways transport (ADN)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LIdation transport (IMDG)Internet transport (IMDG)14.1. UN number or ID number:UN 1414.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted	
Image: Second state of the second s	
14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 8 	
14.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 LIarine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LEmS:F-A, SSegregation group:18 - a	
14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:5 Larine transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:814.5. Transport hazard class(es):814.6. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LExcepted quantity:5 LEmS:F-A, SSegregation group:18 - a	IUM HYDROXIDE SOLUTION
14.4. Packing group:IIIHazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1arine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Hazard label:8Classification code:C5Limited quantity:5 LExcepted quantity:E1arine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Classification code:C5Limited quantity:5 LExcepted quantity:E1larine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Limited quantity:5 LExcepted quantity:E1arine transport (IMDG)14.1. UN number or ID number:UN 1314.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Limited quantity:5 LExcepted quantity:E1larine transport (IMDG)14.1. UN number or ID number:UN 1314.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Limited quantity:5 LExcepted quantity:E1larine transport (IMDG)14.1. UN number or ID number:UN 1314.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Limited quantity:5 LExcepted quantity:E1arine transport (IMDG)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Excepted quantity:E1arine transport (IMDG)14.1. UN number or ID number:UN 1114.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Image: Segregation group: 14.1. UN number or ID number: UN 13 14.1. UN proper shipping name: SODI 14.2. UN proper shipping name: SODI 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S Segregation group: 18 - a	
14.1. UN number or ID number: 14.2. UN proper shipping name: SODIUN 13 SODI14.3. Transport hazard class(es): 14.3. Transport hazard class(es): Hazard label:814.4. Packing group: Hazard label:III III III Bazard label:Hazard label:8Special Provisions: Limited quantity: Excepted quantity: EmS: Segregation group:223 IIII III III III III <br< td=""><td></td></br<>	
14.2. UN proper shipping name:SODI14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:5 LEmS:F-A, SSegregation group:18 - a	824
14.4. Packing group: IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	IUM HYDROXIDE SOLUTION
Hazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	<u>^</u>
Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	
Limited quantity:5 LExcepted quantity:E1EmS:F-A, SSegregation group:18 - a	8
Excepted quantity:E1EmS:F-A, SSegregation group:18 - a	
EmS:F-A, SSegregation group:18 - a	
Segregation group: 18 - a	
ir transport (ICAO-TI/IATA-DGR)	aikaiis
14.1. UN number or ID number: UN 18	-
<u></u>	IUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es): 8 14.4. Packing group: III	
14.4. Packing group: III Hazard label: 8	
Special Provisions: A3 A8	
Limited quantity Passenger: 1 L	803



according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID		
Revision date: 10.07.2023	Product code: 001	Page 8 of 10
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Warning: strongly corrosive.		
14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regula	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 40, Entry 75		
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju	wenile
Employment restrictions.	work protection guideline' (94/33/EC).	
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment	5 ,	

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.



Page 9 of 10

according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID Product code: 001

Revision date: 10.07.2023

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Flam. Lig: Flammable liquid Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

VITA OPAQUE FLUID

Revision date: 10.07.2023

Product code: 001

Page 10 of 10

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)